

# 2004 TOWING GUIDE

## New Models and Redesigns lead the list Compiled by Joel Donaldson

### LIST OF ABBREVIATIONS

<b>PV</b> = Passenger Van	<b>4WD</b> = 4 Wheel Drive	<b>WB</b> = Wheelbase	<b>HO</b> = High Output
<b>CV</b> = Cargo Van	<b>SB</b> = Short Bed	<b>LD</b> = Light-duty	<b>SC</b> = Supercharged
<b>AWD</b> = All Wheel Drive	<b>LB</b> = Long Bed	<b>HD</b> = Heavy-duty	<b>TCI</b> = Turbocharges, Intercooled
<b>FWD</b> = Front Wheel Drive	<b>Reg Cab</b> = Regular Cab	<b>SWB</b> = Short Wheelbase	<b>TDI</b> = Turbo Diesel, Intercooled
<b>RWD</b> = Rear Wheel Drive	<b>Ext Cab</b> = Extended Cab	<b>LWB</b> = Long Wheelbase	

### ACURA

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Acura RL	3.5L V-6	2,000	
Acura MDX	3.5L V-6	3,500	a, b

**a** = Requires surge-type or electric trailer brakes, load-distribution hitch and transmission oil cooler. Rating may vary depending on passenger/cargo load of vehicle.

**b** = Maximum Rated Capacity of 4,500 lb is for towing boats; 3,500 lb for towing trailers.

### BMW

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
BMW X3 2,5i	2.5L I-4	3,748	a
BMW X3 3,0i	3.0L I-6	3,748	a
BMW X5 3,0i	3.0L I-6	5,953	a
BMW X5 4,4i	4.4L V-8	5,953	a
BMW X5 4,6is	4.6L V-8	5,953	a

**a** = Maximum towing rating for trailers without brakes is 1,587 lb for X3; 1,650 lb for X5

### BUICK/CADILLAC/CHEVROLET GMC/OLDSMOBILE/PONTIAC

#### GM Minivans

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Astro/Safari CV RWD	4.3L V-6	5,200	b, f
Astro/Safari CV RWD	4.3L V-6	5,700	c, f
Astro/Safari PV RWD	4.3L V-6	4,900	b, f
Astro/Safari PV RWD	4.3L V-6	5,400	c, f
Astro/Safari CV AWD	4.3L V-6	5,000	b, f
Astro/Safari CV AWD	4.3L V-6	5,500	c, f
Astro/Safari PV AWD	4.3L V-6	4,600	b, f

Astro/Safari PV AWD	4.3L V-6	5,100	c, f
Rendezvous FWD/AWD	All	2,000/3,500	g
Venture/Silhouette/Montana/Aztek	3.4L V-6	3,500	g

### Avalanche/Escalade EXT

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
1500 RWD	5.3L V-8	7,300	c, f
1500 RWD	5.3L V-8	8,300	d, f
1500 4WD	5.3L V-8	7,100	c, f
1500 4WD	5.3L V-8	8,000	c, f
1500 4WD	6.0L V-8	7,400	c, f
2500 RWD	8.1L V-8	10,400	c, f
2500 RWD	8.1L V-8	12,000	d, f
2500 4WD	8.1L V-8	10,100	c, f
2500 4WD	8.1L V-8	12,000	d, f
Escalade EXT AWD	6.0L V-8	7,400	c, f

### Blazer

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
4-door RWD	4.3L V-6	5,700	b, f
4-door RWD	4.3L V-6	4,200	b, e
4-door RWD	4.3L V-6	4,900	c, f, p
4-door RWD	4.3L V-6	2,000	b, f, q
4-door RWD	4.3L V-6	2,000	b, e, q
2-door RWD	4.3L V-6	5,500	b, f
4-door 4WD	4.3L V-6	5,400	b, f
4-door 4WD	4.3L V-6	5,400	c, f
4-door 4WD	4.3L V-6	3,900	b, e
4-door 4WD	4.3L V-6	4,700	c, f, p
4-door 4WD	4.3L V-6	4,200	c, e, p
2-door 4WD	4.3L V-6	5,200	b, f
2-door 4WD	4.3L V-6	5,200	c, f

### Cadillac SRX

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
SRX	All	3,500	g

### Canyon/Colorado

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Reg Cab RWD	2.8L I-4	2,000	b, e
Reg Cab RWD	2.8L I-4	2,500	c, e
Reg Cab RWD	3.5L I-5	3,500	b, e
Reg Cab RWD	3.5L I-5	3,900	c, e
Ext Cab RWD	2.8L I-4	2,200	c, e
Ext Cab RWD	3.5L I-5	3,200	b, e
Ext Cab RWD	3.5L I-5	3,600	c, e

Crew Cab RWD	2.8L I-4	2,100	c, e
Reg Cab 4WD	2.8L I-4	2,100	c, e
Reg Cab 4WD	2.8L I-4	2,100	d, e
Reg Cab 4WD	3.5L I-5	3,100	b, e
Reg Cab 4WD	3.5L I-5	3,600	c, e
Reg Cab 4WD	3.5L I-5	3,500	d, e
Ext Cab 4WD	3.5L I-5	2,900	b, e
Ext Cab 4WD	3.5L I-5	3,400	c, e
Ext Cab 4WD	3.5L I-5	3,300	d, e
Reg Cab RWD	2.8L I-4	3,500	c, f
Reg Cab RWD	3.5L I-5	4,000	b, f
Reg Cab RWD	3.5L I-5	4,000	c, f
Ext Cab RWD	2.8L I-4	3,200	c, f
Ext Cab RWD	3.5L I-5	4,000	b, f
Ext Cab RWD	3.5L I-5	4,000	c, f
Crew Cab RWD	2.8L I-4	3,100	c, f
Crew Cab RWD	3.5L I-5	4,000	b, f
Crew Cab RWD	3.5L I-5	4,000	c, f
Reg Cab 4WD	2.8L I-4	3,100	c, f
Reg Cab 4WD	2.8L I-4	3,100	d, f
Reg Cab 4WD	3.5L I-5	4,000	b, f
Reg Cab 4WD	3.5L I-5	4,000	c, f
Reg Cab 4WD	3.5L I-5	4,000	d, f
Ext Cab 4WD	2.8L I-4	2,900	c, f
Ext Cab 4WD	2.8L I-4	2,900	d, f
Ext Cab 4WD	3.5L I-5	4,000	b, f
Ext Cab 4WD	3.5L I-5	4,000	c, f
Ext Cab 4WD	3.5L I-5	4,000	d, f
Crew Cab 4WD	2.8L I-4	2,800	c, f
Crew Cab 4WD	2.8L I-4	2,800	d, f
Crew Cab 4WD	3.5L I-5	4,000	b, f
Crew Cab 4WD	3.5L I-5	4,000	c, f

### Chevrolet SSR

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
SSR	5.3L V-8	2,500	c, f

### Equinox

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Equinox	3.4L V-6	3,500	g

### Express/Savana

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
G1500 CV RWD 135" WB	4.3L V-6	4,400	b, f
G1500 CV RWD 135" WB	5.3L V-8	6,600	b, f

G1500 CV RWD 135" WB	5.3L V-8	6,600	c, f
G1500 CV AWD 135" WB	5.3L V-8	6,600	b, f
G1500 CV AWD 135" WB	5.3L V-8	6,600	c, f
G1500 PV RWD 135" WB	4.3L V-6	4,000	b, f
G1500 PV RWD 135" WB	5.3L V-8	6,400	b, f
G1500 PV RWD 135" WB	5.3L V-8	6,400	c, f
G1500 PV AWD 135" WB	5.3L V-8	6,200	b, f
G1500 PV AWD 135" WB	5.3L V-8	6,200	c, f
G2500 CV RWD 135" WB	4.3L V-6	4,700	c, f
G2500 CV RWD 135" WB	4.8L V-8	6,400	c, f
G2500 CV RWD 135" WB	4.8L V-8	7,400	d, f
G2500 CV RWD 135" WB	5.3L V-8	6,600	c, f
G2500 CV RWD 135" WB	6.0L V-8	8,400	c, f
G2500 CV RWD 135" WB	6.0L V-8	10,000	d, f
G2500 CV AWD 135" WB	5.3L V-8	6,400	c, f
G2500 CV RWD 155" WB	4.3L V-6	4,500	c, f
G2500 CV RWD 155" WB	4.8L V-8	6,300	c, f
G2500 CV RWD 155" WB	4.8L V-8	7,300	d, f
G2500 CV RWD 155" WB	5.3L V-8	6,500	c, f
G2500 CV RWD 155" WB	6.0L V-8	8,200	c, f
G2500 CV RWD 155" WB	6.0L V-8	10,000	d, f
G2500 PV RWD 155" WB	6.0L V-8	7,900	c, f
G2500 PV RWD 155" WB	6.0L V-8	10,000	d, f
G2500 PV RWD 155" WB	6.0L V-8	7,500	c, f
G2500 PV RWD 155" WB	6.0L V-8	9,500	d, f
G3500 CV RWD 135" WB	6.0L V-8	8,300	c, f
G3500 CV RWD 135" WB	6.0L V-8	10,000	d, f
G3500 CV RWD 155" WB	6.0L V-8	8,100	c, f
G3500 CV RWD 155" WB	6.0L V-8	10,000	d, f
G3500 PV RWD 135" WB	6.0L V-8	7,800	c, f
G3500 PV RWD 135" WB	6.0L V-8	9,800	d, f
G3500 PV RWD 155" WB	6.0L V-8	7,400	c, f
G3500 PV RWD 155" WB	6.0L V-8	9,400	c, f
G3500 CV RWD 135" WB	6.0L V-8	7,100	c, f, i, j
G3500 CV RWD 135" WB	6.0L V-8	7,400	c, f, i, k
G3500 CV RWD 155" WB	6.0L V-8	6,900	c, f, i, j
G3500 CV RWD 155" WB	6.0L V-8	7,200	c, f, i, k
G3500 PV RWD 135" WB	6.0L V-8	6,500	c, f, i, j
G3500 PV RWD 135" WB	6.0L V-8	6,800	c, f, i, k
G3500 CV RWD 135" WB	6.0L V-8	6,900	c, f, i, j
G3500 CV RWD 135" WB	6.0L V-8	7,200	c, f, i, k
G3500 CV RWD 155" WB	6.0L V-8	6,600	c, f, i, j
G3500 CV RWD 155" WB	6.0L V-8	6,800	c, f, i, k
G3500 PV RWD 135" WB	6.0L V-8	6,400	c, f, i, j
G3500 PV RWD 135" WB	6.0L V-8	6,700	c, f, i, k

G3500 PV RWD 155" WB	6.0L V-8	6,000	c, f, i, j
G3500 PV RWD 155" WB	6.0L V-8	6,300	c, f, i, k

### Envoy XUV

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
RWD	4.2L I-6	4,800	b, f
RWD	4.2L I-6	5,300	c, f
RWD	4.2L I-6	5,800	d, f
RWD	5.3L V-8	5,800	b, f
RWD	5.3L V-8	6,500	c, f
4WD	4.2L I-6	4,700	b, f
4WD	4.2L I-6	5,200	c, f
4WD	4.2L I-6	5,700	d, f
4WD	5.3L V-8	5,600	c, f
4WD	5.3L V-8	6,400	d, f

### Kodiak/Top Kick Trucks ---- Automatic Transmission

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
C4500/5500 Reg Cab Pickup Body	8.1L V-8	14,875	s
C4500/5500 Reg Cab Pickup Body	6.6L TDIV-8	14,800	s
C4500/5500 Reg Cab Pickup Body	8.1L V-8	16,875	t
C4500/5500 Reg Cab Pickup Body	6.6L TDIV-8	16,800	t
C4500/5500 Crew Cab Pickup Body	8.1L V-8	13,900	s
C4500/5500 Crew Cab Pickup Body	6.6L TDIV-8	13,820	s
C4500/5500 Crew Cab Pickup Body	8.1L V-8	15,900	t
C4500/5500 Crew Cab Pickup Body	6.6L TDIV-8	15,820	t
C4500/5500 Reg Cab Versa Hauler	8.1L V-8	14,475	s
C4500/5500 Reg Cab Versa Hauler	6.6L TDIV-8	14,400	s
C4500/5500 Reg Cab Versa Hauler	8.1L V-8	16,475	t
C4500/5500 Reg Cab Versa Hauler	6.6L TDIV-8	16,400	t
C4500/5500 Crew Cab Versa Hauler	8.1L V-8	13,500	s
C4500/5500 Crew Cab Versa Hauler	6.6L TDIV-8	13,420	s
C4500/5500 Crew Cab Versa Hauler	8.1L V-8	15,500	t
C4500/5500 Crew Cab Versa Hauler	6.6L TDIV-8	15,420	t

**NOTE:** Tow ratings are examples based on typical curb weights for well-equipped 128"/169" wheelbase (Reg/Crew Cab) vehicle; Pickup Body and Versa Hauler examples shown are produced by Monroe Truck Equipment

### S-10/Sonoma

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
S-10/Sonoma Crew Cab 4WD	4.3L V-6	5,200	f

### Sierra/Silverado ---- Manual Transmission ---- Conventional Towing

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
1500 Reg Cab RWD SB	4.3L V-6	3,600	a, e

1500 Reg Cab RWD SB	4.3L V-6	4,100	b, e
1500 Reg Cab RWD SB	4.8L V-8	4,500	b, e
1500 Reg Cab RWD SB	4.8L V-8	5,500	c, e
1500 Reg Cab RWD LB	4.3L V-6	3,400	a, e
1500 Reg Cab RWD LB	4.3L V-6	3,900	b, e
1500 Reg Cab RWD LB	4.8L V-8	4,300	b, e
1500 Reg Cab RWD LB	4.8L V-8	5,300	c, e
1500 Ext Cab RWD SB	4.3L V-6	3,700	b, e
1500 Ext Cab RWD SB	4.8L V-8	4,100	b, e
1500 Ext Cab RWD SB	4.8L V-8	5,100	c, e
1500 Ext Cab RWD LB	4.8L V-8	3,900	b, e
1500 Ext Cab RWD LB	4.8L V-8	4,900	c, e
2500HD Reg Cab & Chassis RWD LB	6.0L V-8	8,800	c, e, o
2500HD Reg Cab & Chassis RWD LB	6.0L V-8	10,800	d, e, o
1500 Reg Cab 4WD SB	4.3L V-6	3,800	b, e
1500 Reg Cab 4WD SB	4.3L V-6	4,300	c, e
1500 Reg Cab 4WD SB	4.8L V-8	5,200	c, e
1500 Reg Cab 4WD SB	4.8L V-8	6,200	d, e
1500 Reg Cab 4WD LB	4.3L V-6	3,600	b, e
1500 Reg Cab 4WD LB	4.3L V-6	4,100	c, e
1500 Reg Cab 4WD LB	4.8L V-8	5,000	c, e
1500 Reg Cab 4WD LB	4.8L V-8	6,000	d, e
1500 Ext Cab 4WD SB	4.8L V-8	4,800	c, e
1500 Ext Cab 4WD SB	4.8L V-8	5,800	d, e
1500 Ext Cab 4WD LB	4.8L V-8	4,700	c, e
1500 Ext Cab 4WD LB	4.8L V-8	5,700	d, e
2500HD Ext Cab 4WD SB	6.0L V-8	8,300	c, e
2500HD Ext Cab 4WD SB	6.0L V-8	10,300	d, e

**Sierra/Silverado ---- Automatic Transmission ---- Conventiional Towing**

<b>MODEL</b>	<b>ENGINE</b>	<b>TOW LIMIT (lb)</b>	<b>NOTES</b>
1500 Reg Cab 4WD SB	4.3L V-6	4,800	b, f
1500 Reg Cab 4WD SB	4.3L V-6	5,300	c, f
1500 Reg Cab 4WD SB	4.8L V-8	7,200	c, f
1500 Reg Cab 4WD SB	4.8L V-8	8,200	d, f
1500 Reg Cab 4WD SB	5.3L V-8	8,200	c, f
1500 Reg Cab 4WD SB	5.3L V-8	9,200	d, f
1500 Reg Cab 4WD LB	4.3L V-6	4,600	b, f
1500 Reg Cab 4WD LB	4.3L V-6	5,100	c, f
1500 Reg Cab 4WD LB	4.8L V-8	7,000	c, f
1500 Reg Cab 4WD LB	4.8L V-8	8,000	d, f
1500 Reg Cab 4WD LB	5.3L V-8	8,000	c, f
1500 Reg Cab 4WD LB	5.3L V-8	9,000	d, f

1500 Ext Cab 4WD SB	4.8L V-8	6,800	c, f
1500 Ext Cab 4WD SB	4.8L V-8	7,800	d, f
1500 Ext Cab 4WD SB	5.3L V-8	7,800	c, f
1500 Ext Cab 4WD SB	5.3L V-8	8,800	d, f
1500 Ext Cab 4WD SB	5.3L V-8	7,400	c, f, l
1500 Ext Cab 4WD SB	5.3L V-8	8,400	d, f, l
1500 Ext Cab 4WD SB	5.3L V-8	7,500	c, f, h
1500 Ext Cab 4WD SB	6.0L V-8	7,600	d, f, n
1500 Ext Cab 4WD SB	6.0L V-8	10,000	d, f
1500 Ext Cab 4WD LB	4.8L V-8	6,600	c, f
1500 Ext Cab 4WD LB	4.8L V-8	7,600	d, f
1500 Ext Cab 4WD LB	5.3L V-8	7,600	c, f
1500 Ext Cab 4WD LB	5.3L V-8	8,600	d, f
1500 Crew Cab 4WD SB	5.3L V-8	7,500	c, f
1500 Crew Cab 4WD SB	5.3L V-8	8,500	d, f
2500HD Ext Cab 4WD SB	6.0L V-8	8,300	c, o
2500HD Ext Cab 4WD SB	6.0L V-8	10,300	d, o
2500HD Crew Cab 4WD SB	6.0L V-8	8,000	c, f
2500HD Crew Cab 4WD SB	6.0L V-8	10,000	d, f
2500HD Crew Cab 4WD SB	6.0L V-8	7,700	c, f, l
2500HD Crew Cab 4WD SB	6.0L V-8	9,700	d, f, l
1500 Reg Cab RWD SB	4.3L V-6	4,600	a, f
1500 Reg Cab RWD SB	4.3L V-6	5,100	b, f
1500 Reg Cab RWD SB	4.3L V-8	6,500	b, f
1500 Reg Cab RWD SB	4.3L V-8	7,500	c, f
1500 Reg Cab RWD SB	5.3L V-8	7,500	b, f
1500 Reg Cab RWD SB	5.3L V-8	8,500	c, f
1500 Reg Cab RWD LB	4.3L V-6	4,400	a, f
1500 Reg Cab RWD LB	4.3L V-6	4,900	b, f
1500 Reg Cab RWD LB	4.3L V-8	6,300	b, f
1500 Reg Cab RWD LB	4.3L V-8	7,300	c, f
1500 Reg Cab RWD LB	5.3L V-8	7,300	b, f
1500 Reg Cab RWD LB	5.3L V-8	8,300	c, f
1500 Ext Cab RWD SB	4.3L V-6	4,700	b, f
1500 Ext Cab RWD SB	4.3L V-6	5,200	c, f
1500 Ext Cab RWD SB	4.3L V-8	6,100	b, f
1500 Ext Cab RWD SB	4.3L V-8	7,100	c, f
1500 Ext Cab RWD SB	5.3L V-8	7,100	b, f
1500 Ext Cab RWD SB	5.3L V-8	8,100	c, f
1500 Ext Cab RWD SB	5.3L V-8	7,700	c, f, l
1500 Ext Cab RWD SB	5.3L V-8	8,700	d, f, l
1500 Ext Cab RWD SB	5.3L V-8	6,800	b, f, h
1500 Ext Cab RWD SB	5.3L V-8	7,800	c, f, h
1500 Ext Cab RWD LB	4.3L V-8	5,900	b, f
1500 Ext Cab RWD LB	4.3L V-8	6,900	c, f

1500 Ext Cab RWD LB	5.3L V-8	6,900	b, f
1500 Ext Cab RWD LB	5.3L V-8	7,900	c, f
1500 Crew Cab RWD SB	5.3L V-8	6,800	b, f
1500 Crew Cab RWD SB	5.3L V-8	7,800	c, f
2500HD Reg Cab & Chassis RWD LB	6.0L V-8	8,800	c, f, o
2500HD Reg Cab & Chassis RWD LB	6.0L V-8	10,800	d, f, o
2500HD Crew Cab RWD SB	6.0L V-8	8,300	c, f
2500HD Crew Cab RWD SB	6.0L V-8	10,300	d, f
2500HD Crew Cab RWD SB	6.0L V-8	8,000	c, f, l
2500HD Crew Cab RWD SB	6.0L V-8	10,000	d, f, l
2500HD Reg Cab & Chassis RWD LB	6.0L V-8	6,900	c, f, j
2500HD Reg Cab & Chassis RWD LB	6.0L V-8	7,900	d, f, k
2500HD Reg Cab & Chassis RWD LB	6.0L V-8	7,200	c, f, k
2500HD Reg Cab & Chassis RWD LB	6.0L V-8	8,200	d, f, k
2500HD Extended Cab RWD LB	6.0L V-8	6,500	c, f, j
2500HD Extended Cab RWD LB	6.0L V-8	7,500	d, f, j
2500HD Extended Cab RWD LB	6.0L V-8	6,800	c, f, k
2500HD Extended Cab RWD LB	6.0L V-8	7,800	d, f, k
2500HD Reg Cab & Chassis 4WD LB	6.0L V-8	6,600	c, f, j
2500HD Reg Cab & Chassis 4WD LB	6.0L V-8	7,600	d, f, j
2500HD Reg Cab & Chassis 4WD LB	6.0L V-8	6,900	c, f, k
2500HD Reg Cab & Chassis 4WD LB	6.0L V-8	7,900	d, f, k
2500HD Ext Cab 4WD LB	6.0L V-8	6,200	c, f, j
2500HD Ext Cab 4WD LB	6.0L V-8	7,200	d, f, j
2500HD Ext Cab 4WD LB	6.0L V-8	6,500	c, f, k
2500HD Ext Cab 4WD LB	6.0L V-8	7,500	d, f, k
2500HD Crew Cab & Chassis 4WD LB	6.0L V-8	7,000	d, f, j
2500HD Reg Cab & Chassis RWD LB	6.0L V-8	10,600	d, e/f
2500HD Reg Cab & Chassis RWD LB	8.1L V-8	12,000	c, e/f
2500HD Reg Cab & Chassis RWD LB	8.1L V-8	12,000	d, e/f



2500HD Reg Cab & Chassis RWD LB	6.6L TDIV-8	12,000	c, e/f
2500HD Ext Cab RWD SB	6.0L V-8	10,300	d, e/f
2500HD Ext Cab RWD SB	8.1L V-8	12,000	c, e/f
2500HD Ext Cab RWD SB	8.1L V-8	12,000	d, e/f
2500HD Ext Cab RWD SB	6.6L TDIV-8	12,000	c, e/f
2500HD Extended Cab RWD LB	6.0L V-8	10,200	d, e/f
2500HD Extended Cab RWD LB	8.1L V-8	12,000	c, e/f
2500HD Extended Cab RWD LB	8.1L V-8	12,000	d, e/f
2500HD Extended Cab RWD LB	6.6L TDIV-8	12,000	c, e/f
2500HD Crew Cab RWD SB	6.0L V-8	10,200	d, e/f
2500HD Crew Cab RWD SB	8.1L V-8	12,000	c, e/f
2500HD Crew Cab RWD SB	8.1L V-8	12,000	d, e/f
2500HD Crew Cab RWD SB	6.6L TDIV-8	12,000	c, e/f
2500HD Crew Cab & Chassis RWD LB	6.0L V-8	10,000	d, e/f
2500HD Crew Cab & Chassis RWD LB	8.1L V-8	12,000	c, e/f
2500HD Crew Cab & Chassis RWD LB	8.1L V-8	12,000	d, e/f
2500HD Crew Cab & Chassis RWD LB	6.6L TDIV-8	12,000	c, e/f
2500HD Reg Cab & Chassis 4WD LB	6.0L V-8	10,300	d, e/f
2500HD Reg Cab & Chassis 4WD LB	8.1L V-8	12,000	c, e/f
2500HD Reg Cab & Chassis 4WD LB	8.1L V-8	12,000	d, e/f
2500HD Reg Cab & Chassis 4WD LB	6.6L TDIV-8	12,000	c, e/f
2500HD Ext Cab 4WD SB	6.0L V-8	10,100	d, e/f
2500HD Ext Cab 4WD SB	8.1L V-8	12,000	c, e/f
2500HD Ext Cab 4WD SB	8.1L V-8	12,000	d, e/f
2500HD Ext Cab 4WD SB	6.6L TDIV-8	12,000	c, e/f
2500HD Ext Cab 4WD LB	6.0L V-8	9,900	d, e/f
2500HD Ext Cab 4WD LB	8.1L V-8	12,000	c, e/f
2500HD Ext Cab 4WD LB	8.1L V-8	12,000	d, e/f
2500HD Ext Cab 4WD LB	6.6L TDIV-8	12,000	c, e/f
2500HD Crew Cab 4WD SB	6.0L V-8	9,900	d, e/f
2500HD Crew Cab 4WD SB	8.1L V-8	12,000	c, e/f
2500HD Crew Cab 4WD SB	8.1L V-8	12,000	d, e/f
2500HD Crew Cab 4WD SB	6.6L TDIV-8	12,000	c, e/f
2500HD Crew Cab & Chassis 4WD LB	6.0L V-8	9,900	d, e/f

2500HD Crew Cab & Chassis 4WD LB	8.1L V-8	12,000	c, e/f
2500HD Crew Cab & Chassis 4WD LB	8.1L V-8	12,000	d, e/f
2500HD Crew Cab & Chassis 4WD LB	6.6L TDIV-8	12,000	c, e/f
3500 Ext Cab RWD LB	6.0L V-8	9,800	d, e/f
3500 Ext Cab RWD LB	8.1L V-8	12,000	d, e/f
3500 Ext Cab RWD LB	6.6L TDIV-8	12,000	c, e/f
3500 Crew Cab RWD LB	6.0L V-8	9,600	d, e/f
3500 Crew Cab RWD LB	8.1L V-8	12,000	d, e/f
3500 Crew Cab RWD LB	6.6L TDIV-8	12,000	c, e/f
2500HD Ext Cab 4WD LB	6.0L V-8	10,100	d, e/f
2500HD Ext Cab 4WD LB	8.1L V-8	12,000	c, e/f
2500HD Ext Cab 4WD LB	6.6L TDIV-8	12,000	c, e/f
2500HD Ext Cab 4WD LB	6.0L V-8	9,900	d, e/f, m
2500HD Ext Cab 4WD LB	8.1L V-8	12,000	d, e/f, m
2500HD Ext Cab 4WD LB	6.6L TDIV-8	12,000	c, e/f, m
3500 Ext Cab 4WD LB	6.0L V-8	9,700	d, e/f
3500 Ext Cab 4WD LB	8.1L V-8	12,000	d, e/f
3500 Ext Cab 4WD LB	6.6L TDIV-8	12,000	c, e/f
3500 Ext Cab 4WD LB	6.0L V-8	9,500	d, e/f, m
3500 Ext Cab 4WD LB	8.1L V-8	12,000	d, e/f, m
3500 Ext Cab 4WD LB	6.6L TDIV-8	12,000	c, e/f, m
3500 Crew Cab 4WD LB	6.0L V-8	9,500	d, e/f
3500 Crew Cab 4WD LB	8.1L V-8	12,000	d, e/f
3500 Crew Cab 4WD LB	6.6L TDIV-8	12,000	c, e/f
3500 Crew Cab 4WD LB	6.0L V-8	9,300	d, e/f, m
3500 Crew Cab 4WD LB	8.1L V-8	12,000	d, e/f, m
3500 Crew Cab 4WD LB	6.6L TDIV-8	12,000	c, e/f, m

**Sierra/Silverado ---- Auto& Manual ---- Fifth-Wheel Towing**

<b>MODEL</b>	<b>ENGINE</b>	<b>TOW LIMIT (lb)</b>	<b>NOTES</b>
1500 Reg Cab RWD SB	4.8L V-8	6,500	b, f
1500 Reg Cab RWD SB	4.8L V-8	7,500	c, f
1500 Reg Cab RWD SB	5.3L V-8	7,500	b, f
1500 Reg Cab RWD SB	5.3L V-8	8,500	c, f
1500 Reg Cab RWD LB	4.8L V-8	6,300	b, f
1500 Reg Cab RWD LB	4.8L V-8	7,300	c, f
1500 Reg Cab RWD LB	5.3L V-8	7,300	b, f
1500 Reg Cab RWD LB	5.3L V-8	8,300	c, f
1500 Ext Cab RWD SB	4.8L V-8	6,100	b, f
1500 Ext Cab RWD SB	4.8L V-8	7,100	c, f
1500 Ext Cab RWD SB	5.3L V-8	7,100	b, f
1500 Ext Cab RWD SB	5.3L V-8	8,100	c, f

1500 Ext Cab RWD LB	4.8L V-8	5,900	b, f
1500 Ext Cab RWD LB	4.8L V-8	6,900	c, f
1500 Ext Cab RWD LB	5.3L V-8	6,900	b, f
1500 Ext Cab RWD LB	5.3L V-8	7,900	c, f
2500HD Reg Cab & Chassis RWD LB	6.0L V-8	8,800	c, e/f, o
2500HD Reg Cab & Chassis RWD LB	6.0L V-8	10,800	d, e/f, o
2500HD Crew Cab RWD SB	6.0L V-8	8,300	c, e/f
2500HD Crew Cab RWD SB	6.0L V-8	10,300	d, e/f
1500 Reg Cab 4WD SB	4.8L V-8	7,200	c, e
1500 Reg Cab 4WD SB	4.8L V-8	8,100	d, e
1500 Reg Cab 4WD SB	5.3L V-8	8,100	c, e
1500 Reg Cab 4WD SB	5.3L V-8	8,100	d, e
1500 Reg Cab 4WD LB	4.8L V-8	7,000	c, e
1500 Reg Cab 4WD LB	4.8L V-8	8,000	d, e
1500 Reg Cab 4WD LB	5.3L V-8	8,000	c, e
1500 Reg Cab 4WD LB	5.3L V-8	9,000	d, e
1500 Ext Cab 4WD SB	4.8L V-8	6,800	c, e
1500 Ext Cab 4WD SB	4.8L V-8	7,800	d, e
1500 Ext Cab 4WD SB	5.3L V-8	7,800	c, e
1500 Ext Cab 4WD SB	5.3L V-8	7,800	d, e
1500 Ext Cab 4WD LB	4.8L V-8	6,600	c, e
1500 Ext Cab 4WD LB	4.8L V-8	6,800	d, e
1500 Ext Cab 4WD LB	5.3L V-8	6,800	c, e
1500 Ext Cab 4WD LB	5.3L V-8	6,800	d, e
2500HD Ext Cab 4WD SB	6.0L V-8	8,300	c, e/f, o
2500HD Ext Cab 4WD SB	6.0L V-8	10,300	d, e/f, o
2500HD Crew Cab 4WD SB	6.0L V-8	8,000	c, e/f
2500HD Crew Cab 4WD SB	6.0L V-8	10,000	d, e/f
2500HD Reg Cab & Chassis RWD LB	6.0L V-8	10,600	d, e/f
2500HD Reg Cab & Chassis RWD LB	8.1L V-8	14,100	c, e/f
2500HD Reg Cab & Chassis RWD LB	8.1L V-8	16,100	d, e/f
2500HD Reg Cab & Chassis RWD LB	6.6L TDIV-8	15,900	c, e/f
2500HD Ext Cab RWD SB	6.0L V-8	10,300	d, e/f
2500HD Ext Cab RWD SB	8.1L V-8	13,900	c, e/f
2500HD Ext Cab RWD SB	8.1L V-8	15,900	d, e/f
2500HD Ext Cab RWD SB	6.6L TDIV-8	15,700	c, e/f
2500HD Extended Cab RWD LB	6.0L V-8	10,200	d, e/f
2500HD Extended Cab RWD LB	8.1L V-8	13,700	c, e/f
2500HD Extended Cab RWD LB	8.1L V-8	15,700	d, e/f

2500HD Extended Cab RWD LB	6.6L TDIV-8	15,500	c, e/f
2500HD Crew Cab RWD SB	6.0L V-8	10,200	d, e/f
2500HD Crew Cab RWD SB	8.1L V-8	13,700	c, e/f
2500HD Crew Cab RWD SB	8.1L V-8	15,700	d, e/f
2500HD Crew Cab RWD SB	6.6L TDIV-8	15,500	c, e/f
2500HD Crew Cab & Chassis RWD LB	6.0L V-8	10,000	d, e/f
2500HD Crew Cab & Chassis RWD LB	8.1L V-8	13,500	c, e/f
2500HD Crew Cab & Chassis RWD LB	8.1L V-8	15,500	d, e/f
2500HD Crew Cab & Chassis RWD LB	6.6L TDIV-8	15,300	c, e/f
2500HD Reg Cab & Chassis 4WD LB	6.0L V-8	10,300	d, e/f
2500HD Reg Cab & Chassis 4WD LB	8.1L V-8	13,900	c, e/f
2500HD Reg Cab & Chassis 4WD LB	8.1L V-8	15,900	d, e/f
2500HD Reg Cab & Chassis 4WD LB	6.6L TDIV-8	15,700	c, e/f
2500HD Ext Cab 4WD SB	6.0L V-8	10,100	d, e/f
2500HD Ext Cab 4WD SB	8.1L V-8	13,600	c, e/f
2500HD Ext Cab 4WD SB	8.1L V-8	15,600	d, e/f
2500HD Ext Cab 4WD SB	6.6L TDIV-8	15,400	c, e/f
2500HD Ext Cab 4WD LB	6.0L V-8	9,900	d, e/f
2500HD Ext Cab 4WD LB	8.1L V-8	13,500	c, e/f
2500HD Ext Cab 4WD LB	8.1L V-8	15,500	d, e/f
2500HD Ext Cab 4WD LB	6.6L TDIV-8	15,300	c, e/f
2500HD Crew Cab 4WD SB	6.0L V-8	9,900	d, e/f
2500HD Crew Cab 4WD SB	8.1L V-8	13,400	c, e/f
2500HD Crew Cab 4WD SB	8.1L V-8	15,400	d, e/f
2500HD Crew Cab 4WD SB	6.6L TDIV-8	14,900	c, e/f
2500HD Crew Cab 4WD LB	6.0L V-8	9,700	d, e/f
2500HD Crew Cab 4WD LB	8.1L V-8	13,200	c, e/f
2500HD Crew Cab 4WD LB	8.1L V-8	15,200	d, e/f
2500HD Crew Cab 4WD LB	6.6L TDIV-8	13,800	c, e/f
3500 Ext Cab RWD LB	6.0L V-8	9,800	d, e/f
3500 Ext Cab RWD LB	8.1L V-8	15,400	d, e/f
3500 Ext Cab RWD LB	6.6L TDIV-8	15,200	c, e/f
3500 Crew Cab RWD LB	6.0L V-8	9,600	d, e/f
3500 Crew Cab RWD LB	8.1L V-8	15,200	d, e/f
3500 Crew Cab RWD LB	6.6L TDIV-8	15,000	c, e/f
2500HD Ext Cab 4WD LB	6.0L V-8	10,100	d, e/f
2500HD Ext Cab 4WD LB	8.1L V-8	15,700	d, e/f

2500HD Ext Cab 4WD LB	6.6L TDIV-8	15,500	c, e/f
2500HD Ext Cab 4WD LB	6.0L V-8	9,900	d, e/f, m
2500HD Ext Cab 4WD LB	8.1L V-8	15,500	d, e/f, m
2500HD Ext Cab 4WD LB	6.6L TDIV-8	15,300	c, e/f, m
3500 Ext Cab 4WD LB	6.0L V-8	9,700	d, e/f
3500 Ext Cab 4WD LB	8.1L V-8	15,300	d, e/f
3500 Ext Cab 4WD LB	6.6L TDIV-8	15,200	c, e/f
3500 Ext Cab 4WD LB	6.0L V-8	9,500	d, e/f, m
3500 Ext Cab 4WD LB	8.1L V-8	15,100	d, e/f, m
3500 Ext Cab 4WD LB	6.6L TDIV-8	14,900	c, e/f, m
3500 Crew Cab 4WD LB	6.0L V-8	9,500	d, e/f
3500 Crew Cab 4WD LB	8.1L V-8	15,100	d, e/f
3500 Crew Cab 4WD LB	6.6L TDIV-8	14,900	c, e/f
3500 Crew Cab 4WD LB	6.0L V-8	9,300	d, e/f, m
3500 Crew Cab 4WD LB	8.1L V-8	14,900	d, e/f, m
3500 Crew Cab 4WD LB	6.6L TDIV-8	14,600	c, e/f, m

### Suburban/Yukon XL

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
1500 RWD	5.3L V-8	7,400	c, f
1500 RWD	5.3L V-8	8,400	d, f
1500 4WD	5.3L V-8	7,200	c, f
1500 4WD	5.3L V-8	8,200	d, f
2500 RWD	6.0L V-8	7,900	c, f
2500 RWD	6.0L V-8	9,900	d, f, r
2500 RWD	8.1L V-8	10,500	c, f
2500 RWD	8.1L V-8	12,000	d, f, r
2500 RWD	6.0L V-8	7,600	c, f, l
2500 RWD	6.0L V-8	9,600	d, f, l, r
2500 4WD	6.0L V-8	7,600	c, f
2500 4WD	6.0L V-8	9,600	d, f, r
2500 4WD	8.1L V-8	10,200	c, f
2500 4WD	8.1L V-8	12,000	d, f, r
2500 4WD	6.0L V-8	7,300	c, f, l
2500 4WD	6.0L V-8	9,300	d, f, l, r

### Tahoe/Yukon/Escalade

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Tahoe/Yukon RWD	4.8L V-8	5,700	b, f
Tahoe/Yukon RWD	4.8L V-8	6,700	c, f
Tahoe/Yukon RWD	5.3L V-8	6,700	b, f
Tahoe/Yukon RWD	5.3L V-8	7,700	c, f
Tahoe/Yukon 4WD	4.8L V-8	6,400	c, f
Tahoe/Yukon 4WD	4.8L V-8	7,400	d, f
Tahoe/Yukon 4WD	5.3L V-8	7,500	c, f

Tahoe/Yukon 4WD	5.3L V-8	7,800	d, f
Escalade RWD	5.3L V-8	7,400	c, f
Escalade AWD	6.0L V-8	8,100	c, f
Escalade ESV AWD	6.0L V-8	7,700	c, f
Yukon Denali AWD	6.0L V-8	8,200	c, f
Yukon Denali XL AWD	6.0L V-8	8,000	c, f

### TrailBlazer/Envoy/Bravada/Rainier

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
TrailBlazer/Envoy/Bravada RWD	4.2L I-6	5,300	b, f
TrailBlazer/Envoy/Bravada RWD	4.2L I-6	5,800	c, f
TrailBlazer/Envoy/Bravada RWD	4.2L I-6	6,300	d, f
TrailBlazer/Envoy/Bravada 4WD	4.2L I-6	5,100	b, f
TrailBlazer/Envoy/Bravada 4WD	4.2L I-6	5,600	c, f
TrailBlazer/Envoy/Bravada 4WD	4.2L I-6	6,100	d, f
Rainier RWD	4.2L I-6	5,700	c, f
Rainier RWD	4.2L I-6	6,200	d, f
Rainier RWD	5.3L V-8	6,700	c, f
Rainier 4WD	4.2L I-6	5,500	c, f
Rainier 4WD	4.2L I-6	6,100	d, f
Rainier 4WD	5.3L V-8	6,500	c, f
TrailBlazer EXT/Envoy XL RWD	4.2L I-6	5,000	b, f
TrailBlazer EXT/Envoy XL RWD	4.2L I-6	5,500	c, f
TrailBlazer EXT/Envoy XL RWD	4.2L I-6	6,000	d, f
TrailBlazer EXT/Envoy XL RWD	5.3L V-8	5,900	b, f
TrailBlazer EXT/Envoy XL RWD	5.3L V-8	7,100	c, f
TrailBlazer EXT/Envoy XL 4WD	4.2L I-6	4,800	b, f
TrailBlazer EXT/Envoy XL 4WD	4.2L I-6	5,300	c, f
TrailBlazer EXT/Envoy XL 4WD	4.2L I-6	5,800	d, f
TrailBlazer EXT/Envoy XL 4WD	5.3L V-8	5,700	b, f
TrailBlazer EXT/Envoy XL 4WD	5.3L V-8	6,700	c, f

#### NOTES FOR ALL BUICK/CADILLAC/CHEVROLET/GMC/OLDSMOBILE/PONTIAC:

**a** = 3.08:1 axle ratio; **b** = 3.42:1 axle ratio; **c** = 3.73:1 axle ratio; **d** = 4.10:1 axle ratio; **e** = Manual transmission;

**f** = Automatic transmission; **g** = With towing package; **h** = Parallel Hybrid vehicle --- Not designed for fifth-wheel towing; **i** = Alternate fuel engine ---- Not designed for fifth-wheel towing; **j** = Bi-fuel CNG compressed natural gas; **k** = Dedicated CNG compressed natural gas;

**l** = With Quadrasteer option; **m** = Dual Rear-Wheels option; **n** = Silverado SS; **o** = 8,600 GVWR; **p** = Off-Road Package; **q** = Blazer Xtreme version; **r** = Reduce to same as 3.71:1 axle ratio ratings when equipped with Z83 Suspension Package; **s** = GL4 11,000-lb rear axle; **t** = GL8 13,500-lb rear axle;

### DAIMLERCHRYSLER

#### Chrysler

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
300M	3.5L V-6	2,000	

Pacifica	3.5L V-6	3,500	
Town & Country FWD	3.3L V-6	3,800	l
Town & Country FWD	3.8L V-6	3,800	l
Town & Country AWD	3.8L V-6	3,500	

### Dodge

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Caravan FWD	3.3L V-6	3,800	l
Caravan FWD	3.8L V-6	3,800	l
Caravan AWD	3.8L V-6	3,500	
Intrepid	3.5L V-6	2,000	n

### Dakota

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Reg Cab RWD	3.7L V-6	4,900	a, e
Reg Cab RWD	3.7L V-6	4,900	a, g
Reg Cab RWD	3.7L V-6	5,300	c, g
Reg Cab RWD	4.7L V-8	5,600	a, e
Reg Cab RWD	4.7L V-8	6,600	c, e
Reg Cab RWD	4.7L V-8	5,500	a, h
Reg Cab RWD	4.7L V-8	6,500	c, h
Reg Cab RWD	3.7L V-6	4,850	a, e, i
Reg Cab RWD	3.7L V-6	5,300	c, g, i
Reg Cab RWD	3.7L V-6	5,500	a, e, i
Reg Cab RWD	4.7L V-8	6,550	c, e, i
Reg Cab RWD	4.7L V-8	5,500	a, h, i
Reg Cab RWD	4.7L V-8	6,500	c, h, i
Reg Cab 4WD	3.7L V-6	4,650	a, e
Reg Cab 4WD	3.7L V-6	3,850	c, e
Reg Cab 4WD	3.7L V-6	5,050	a, g
Reg Cab 4WD	4.7L V-8	5,300	a, e
Reg Cab 4WD	4.7L V-8	6,300	c, e
Reg Cab 4WD	4.7L V-8	4,950	a, h
Reg Cab 4WD	4.7L V-8	6,250	c, h
Reg Cab 4WD	3.7L V-6	4,650	a, e, i
Reg Cab 4WD	3.7L V-6	3,850	c, e
Reg Cab 4WD	3.7L V-6	4,600	c, g, i
Reg Cab 4WD	4.7L V-8	5,300	a, e, i
Reg Cab 4WD	4.7L V-8	6,300	c, e, i
Reg Cab 4WD	4.7L V-8	4,950	a, h, i
Reg Cab 4WD	4.7L V-8	4,950	c, h, i
Club Cab RWD	3.7L V-6	4,000	a, e
Club Cab RWD	3.7L V-6	4,800	a, g
Club Cab RWD	3.7L V-6	5,200	c, g
Club Cab RWD	4.7L V-8	5,450	a, e

Club Cab RWD	4.7L V-8	6,450	c, e
Club Cab RWD	4.7L V-8	5,100	a, h
Club Cab RWD	4.7L V-8	6,400	c, h
Club Cab RWD	3.7L V-6	4,000	a, e, i
Club Cab RWD	3.7L V-6	5,200	c, g, i
Club Cab RWD	4.7L V-8	4,750	a, e, i
Club Cab RWD	4.7L V-8	5,150	c, e, i
Club Cab RWD	4.7L V-8	4,650	a, h, i
Club Cab RWD	4.7L V-8	5,050	c, h, i
Club Cab 4WD	3.7L V-6	3,700	a, e
Club Cab 4WD	3.7L V-6	4,500	c, e
Club Cab 4WD	3.7L V-6	4,900	c, g
Club Cab 4WD	4.7L V-8	5,100	a, e
Club Cab 4WD	4.7L V-8	6,100	c, e
Club Cab 4WD	4.7L V-8	4,750	a, h
Club Cab 4WD	4.7L V-8	6,050	c, h
Quad Cab RWD	3.7L V-6	3,650	a, e
Quad Cab RWD	3.7L V-6	4,450	c, e
Quad Cab RWD	3.7L V-6	4,400	a, g
Quad Cab RWD	3.7L V-6	4,800	c, g
Quad Cab RWD	4.7L V-8	5,100	a, e
Quad Cab RWD	4.7L V-8	6,100	c, e
Quad Cab RWD	4.7L V-8	4,750	a, h
Quad Cab RWD	4.7L V-8	6,050	c, h
Quad Cab 4WD	3.7L V-6	3,400	a, e
Quad Cab 4WD	3.7L V-6	4,200	c, e
Quad Cab 4WD	3.7L V-6	4,150	a, g
Quad Cab 4WD	3.7L V-6	4,550	c, g
Quad Cab 4WD	4.7L V-8	4,850	a, e
Quad Cab 4WD	4.7L V-8	5,850	c, e
Quad Cab 4WD	4.7L V-8	4,450	a, h
Quad Cab 4WD	4.7L V-8	5,750	c, h

### Durango

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
ST RWD	3.7L V-6	3,750	r
SLT RWD	3.7L V-6	3,700	r
SLT RWD	4.7L V-8	7,450	c, r
SLT RWD	5.7L V-8	8,900	c, r
Limited RWD	4.7L V-8	7,450	c, r
Limited RWD	5.7L V-8	8,950	c, r
ST 4WD	4.7L V-8	5,850	a, r
SLT, Limited 4WD	4.7L V-8	7,250	c, r
SLT, Limited 4WD	5.7L V-8	8,700	c, r

### Ram Truck



MODEL	ENGINE	TOW LIMIT (lb)	NOTES
1500 Reg Cab SB RWD	3.7L V-6	3,300	a, e
1500 Reg Cab SB RWD	3.7L V-6	3,300	a, e
1500 Reg Cab SB RWD	3.7L V-6	3,750	a, g
1500 Reg Cab SB RWD	3.7L V-6	3,750	c, g
1500 Reg Cab SB RWD	4.7L V-8	4,750	a, e
1500 Reg Cab SB RWD	4.7L V-8	5,750	c, e
1500 Reg Cab SB RWD	4.7L V-8	6,650	a, h
1500 Reg Cab SB RWD	4.7L V-8	7,650	c, h
1500 Reg Cab SB RWD	4.7L V-8	4,700	c, e, k
1500 Reg Cab SB RWD	4.7L V-8	6,600	c, h, k
1500 Reg Cab SB RWD	5.7L V-8	8,200	a, h
1500 Reg Cab SB RWD	5.7L V-8	9,200	c, h
1500 Reg Cab SB RWD	5.7L V-8	8,150	c, h, k
1500 Reg Cab LB RWD	3.7L V-6	3,150	a, e
1500 Reg Cab LB RWD	3.7L V-6	3,150	c, e
1500 Reg Cab LB RWD	3.7L V-6	3,600	a, g
1500 Reg Cab LB RWD	3.7L V-6	3,600	c, g
1500 Reg Cab LB RWD	4.7L V-8	4,550	a, e
1500 Reg Cab LB RWD	4.7L V-8	5,550	c, e
1500 Reg Cab LB RWD	4.7L V-8	6,500	a, h
1500 Reg Cab LB RWD	4.7L V-8	7,500	c, h
1500 Reg Cab LB RWD	5.7L V-8	7,950	a, h
1500 Reg Cab LB RWD	5.7L V-8	8,950	c, h
1500 Reg Cab SB 4WD	4.7L V-8	4,500	a, e
1500 Reg Cab SB 4WD	4.7L V-8	5,500	c, e
1500 Reg Cab SB 4WD	4.7L V-8	6,400	a, h
1500 Reg Cab SB 4WD	4.7L V-8	7,400	c, h
1500 Reg Cab SB 4WD	4.7L V-8	4,400	c, e, k
1500 Reg Cab SB 4WD	4.7L V-8	6,350	c, h, k
1500 Reg Cab SB 4WD	4.7L V-8	4,400	a, e, j
1500 Reg Cab SB 4WD	4.7L V-8	5,400	c, e, j
1500 Reg Cab SB 4WD	4.7L V-8	6,300	a, h, j
1500 Reg Cab SB 4WD	4.7L V-8	7,300	c, h, j
1500 Reg Cab SB 4WD	5.7L V-8	7,950	a, h
1500 Reg Cab SB 4WD	5.7L V-8	8,950	c, h
1500 Reg Cab SB 4WD	5.7L V-8	7,850	c, h, k
1500 Reg Cab SB 4WD	5.7L V-8	7,800	a, h, j
1500 Reg Cab SB 4WD	5.7L V-8	8,800	c, h, j
1500 Reg Cab LB 4WD	4.7L V-8	4,300	a, e
1500 Reg Cab LB 4WD	4.7L V-8	5,300	c, e
1500 Reg Cab LB 4WD	4.7L V-8	6,200	a, h
1500 Reg Cab LB 4WD	4.7L V-8	7,200	c, h
1500 Reg Cab LB 4WD	4.7L V-8	4,200	a, e, j
1500 Reg Cab LB 4WD	4.7L V-8	5,200	c, e, j

1500 Reg Cab LB 4WD	4.7L V-8	6,100	a, h, j
1500 Reg Cab LB 4WD	4.7L V-8	7,100	c, h, j
1500 Reg Cab LB 4WD	5.7L V-8	7,700	a, h
1500 Reg Cab LB 4WD	5.7L V-8	8,700	c, h
1500 Reg Cab LB 4WD	5.7L V-8	7,600	a, h, j
1500 Reg Cab LB 4WD	5.7L V-8	8,600	c, h, j
1500 Quad Cab SB RWD	3.7L V-6	2,950	a, e
1500 Quad Cab SB RWD	3.7L V-6	2,950	c, e
1500 Quad Cab SB RWD	3.7L V-6	3,400	a, g
1500 Quad Cab SB RWD	3.7L V-6	3,400	c, g
1500 Quad Cab SB RWD	4.7L V-8	4,400	a, e
1500 Quad Cab SB RWD	4.7L V-8	5,400	c, e
1500 Quad Cab SB RWD	4.7L V-8	6,350	a, h
1500 Quad Cab SB RWD	4.7L V-8	7,350	c, h
1500 Quad Cab SB RWD	4.7L V-8	4,350	c, e, k
1500 Quad Cab SB RWD	4.7L V-8	6,300	c, h, k
1500 Quad Cab SB RWD	5.7L V-8	7,900	a, h
1500 Quad Cab SB RWD	5.7L V-8	8,900	c, h
1500 Quad Cab SB RWD	5.7L V-8	7,850	c, h, k
1500 Quad Cab LB RWD	4.7L V-8	4,300	a, e
1500 Quad Cab LB RWD	4.7L V-8		c, e
1500 Quad Cab LB RWD	4.7L V-8	6,200	a, h
1500 Quad Cab LB RWD	4.7L V-8	7,200	c, h
1500 Quad Cab LB RWD	5.7L V-8	8,300	a, h
1500 Quad Cab LB RWD	5.7L V-8	9,300	c, h
1500 Quad Cab SB 4WD	4.7L V-8	4,150	a, e
1500 Quad Cab SB 4WD	4.7L V-8	5,150	c, e
1500 Quad Cab SB 4WD	4.7L V-8	6,100	a, h
1500 Quad Cab SB 4WD	4.7L V-8	7,100	c, h
1500 Quad Cab SB 4WD	4.7L V-8	4,100	c, e, k
1500 Quad Cab SB 4WD	4.7L V-8	6,000	c, h, k
1500 Quad Cab SB 4WD	4.7L V-8	4,050	a, e, j
1500 Quad Cab SB 4WD	4.7L V-8	5,050	c, e, j
1500 Quad Cab SB 4WD	4.7L V-8	6,000	a, h, j
1500 Quad Cab SB 4WD	4.7L V-8	7,000	c, h, j
1500 Quad Cab SB 4WD	5.7L V-8	7,600	a, h
1500 Quad Cab SB 4WD	5.7L V-8	8,600	c, h
1500 Quad Cab SB 4WD	5.7L V-8	7,550	c, h, k
1500 Quad Cab SB 4WD	5.7L V-8	7,550	a, h, j
1500 Quad Cab SB 4WD	5.7L V-8	8,550	c, h, j
1500 Quad Cab LB 4WD	4.7L V-8	4,950	c, e
1500 Quad Cab LB 4WD	4.7L V-8	6,850	c, h
1500 Quad Cab LB 4WD	5.7L V-8	8,400	c, h
2500 Reg Cab LB RWD	5.7L V-8	9,400	b, e
2500 Reg Cab LB RWD	5.7L V-8	11,400	d, e

2500 Reg Cab LB RWD	5.7L V-8	9,450	b, g
2500 Reg Cab LB RWD	5.7L V-8	11,450	d, g
2500 Reg Cab LB RWD	5.9L TDI	12,650	b, e
2500 Reg Cab LB RWD	5.9L TDI	13,650	d, e
2500 Reg Cab LB RWD	5.9L TDI	13,600	b, g
2500 Reg Cab LB RWD	5.9L TDI	13,600	d, g
2500 Reg Cab LB RWD	5.9L TDI-HO	13,450	b, f
2500 Reg Cab LB RWD	5.9L TDI-HO	13,450	d, f
2500 Reg Cab LB RWD	5.9L TDI-HO	13,600	b, g
2500 Reg Cab LB RWD	5.9L TDI-HO	13,600	d, g
2500 Reg Cab LB 4WD	5.7L V-8	9,000	b, e
2500 Reg Cab LB 4WD	5.7L V-8	11,000	d, e
2500 Reg Cab LB 4WD	5.7L V-8	9,000	b, h
2500 Reg Cab LB 4WD	5.7L V-8	11,000	d, h
2500 Reg Cab LB 4WD	5.9L TDI	12,200	b, e
2500 Reg Cab LB 4WD	5.9L TDI	13,200	d, e
2500 Reg Cab LB 4WD	5.9L TDI	13,200	b, g
2500 Reg Cab LB 4WD	5.9L TDI	13,200	d, g
2500 Reg Cab LB 4WD	5.9L TDI-HO	13,000	b, f
2500 Reg Cab LB 4WD	5.9L TDI-HO	13,000	d, f
2500 Quad Cab SB RWD	5.7L V-8	9,200	b, e
2500 Quad Cab SB RWD	5.7L V-8	11,200	d, e
2500 Quad Cab SB RWD	5.7L V-8	9,300	b, h
2500 Quad Cab SB RWD	5.7L V-8	11,300	d, h
2500 Quad Cab SB RWD	5.9L TDI	12,450	b, e
2500 Quad Cab SB RWD	5.9L TDI	13,450	d, e
2500 Quad Cab SB RWD	5.9L TDI	13,450	b, g
2500 Quad Cab SB RWD	5.9L TDI	13,450	d, g
2500 Quad Cab SB RWD	5.9L TDI-HO	13,250	b, f
2500 Quad Cab SB RWD	5.9L TDI-HO	13,250	d, f
2500 Quad Cab SB RWD	5.9L TDI-HO	13,450	b, g
2500 Quad Cab SB RWD	5.9L TDI-HO	13,450	d, g
2500 Quad Cab LB RWD	5.7L V-8	9,050	b, e
2500 Quad Cab LB RWD	5.7L V-8	11,050	d, e
2500 Quad Cab LB RWD	5.7L V-8	9,100	b, h
2500 Quad Cab LB RWD	5.7L V-8	11,100	d, h
2500 Quad Cab LB RWD	5.9L TDI	12,300	b, e
2500 Quad Cab LB RWD	5.9L TDI	13,300	d, e
2500 Quad Cab LB RWD	5.9L TDI	13,250	b, g
2500 Quad Cab LB RWD	5.9L TDI	13,250	d, g
2500 Quad Cab LB RWD	5.9L TDI-HO	13,150	b, f
2500 Quad Cab LB RWD	5.9L TDI-HO	13,150	d, f
2500 Quad Cab LB RWD	5.9L TDI-HO	13,300	b, g
2500 Quad Cab LB RWD	5.9L TDI-HO	13,300	d, g
2500 Quad Cab SB 4WD	5.7L V-8	8,750	b, e

2500 Quad Cab SB 4WD	5.7L V-8	10,750	d, e
2500 Quad Cab SB 4WD	5.7L V-8	8,800	b, h
2500 Quad Cab SB 4WD	5.7L V-8	10,800	d, h
2500 Quad Cab SB 4WD	5.9L TDI	12,000	b, e
2500 Quad Cab SB 4WD	5.9L TDI	13,000	d, e
2500 Quad Cab SB 4WD	5.9L TDI	13,000	b, g
2500 Quad Cab SB 4WD	5.9L TDI	13,000	d, g
2500 Quad Cab SB 4WD	5.9L TDI-HO	12,850	b, f
2500 Quad Cab SB 4WD	5.9L TDI-HO	12,850	d, f
2500 Quad Cab SB 4WD	5.9L TDI-HO	13,050	b, g
2500 Quad Cab SB 4WD	5.9L TDI-HO	13,050	d, g
2500 Quad Cab LB 4WD	5.7L V-8	8,650	b, e
2500 Quad Cab LB 4WD	5.7L V-8	10,650	d, e
2500 Quad Cab LB 4WD	5.7L V-8	8,700	b, h
2500 Quad Cab LB 4WD	5.7L V-8	10,700	d, h
2500 Quad Cab LB 4WD	5.9L TDI	11,850	b, e
2500 Quad Cab LB 4WD	5.9L TDI	12,850	d, e
2500 Quad Cab LB 4WD	5.9L TDI	12,850	b, g
2500 Quad Cab LB 4WD	5.9L TDI	12,850	d, g
2500 Quad Cab LB 4WD	5.9L TDI-HO	12,650	b, f
2500 Quad Cab LB 4WD	5.9L TDI-HO	12,650	d, f
3500 Reg Cab LB RWD DRW	5.7L V-8	9,050	b, e
3500 Reg Cab LB RWD DRW	5.7L V-8	11,050	d, e
3500 Reg Cab LB RWD DRW	5.7L V-8	9,100	b, h
3500 Reg Cab LB RWD DRW	5.7L V-8	11,100	d, h
3500 Reg Cab LB RWD DRW	5.9L TDI	12,450	b, e
3500 Reg Cab LB RWD DRW	5.9L TDI	14,450	d, e
3500 Reg Cab LB RWD DRW	5.9L TDI	13,400	b, g
3500 Reg Cab LB RWD DRW	5.9L TDI	13,400	d, g
3500 Reg Cab LB RWD DRW	5.9L TDI-HO	14,300	b, f
3500 Reg Cab LB RWD DRW	5.9L TDI-HO	16,300	d, f
3500 Reg Cab LB RWD DRW	5.9L TDI-HO	13,450	b, g
3500 Reg Cab LB RWD DRW	5.9L TDI-HO	15,450	d, g
3500 Reg Cab LB 4WD DRW	5.7L V-8	8,550	b, e
3500 Reg Cab LB 4WD DRW	5.7L V-8	10,550	d, e
3500 Reg Cab LB 4WD DRW	5.7L V-8	8,600	b, h
3500 Reg Cab LB 4WD DRW	5.7L V-8	10,600	d, h
3500 Reg Cab LB 4WD DRW	5.9L TDI	13,000	b, g
3500 Reg Cab LB 4WD DRW	5.9L TDI	13,000	d, g
3500 Reg Cab LB 4WD DRW	5.9L TDI-HO	13,800	b, f
3500 Reg Cab LB 4WD DRW	5.9L TDI-HO	15,800	d, f
3500 Reg Cab LB 4WD DRW	5.9L TDI-HO	13,000	b, g
3500 Reg Cab LB 4WD DRW	5.9L TDI-HO	15,000	d, g
3500 Reg Cab SB RWD SRW	5.9L TDI	12,500	b, e
3500 Reg Cab SB RWD SRW	5.9L TDI	14,500	d, e

3500 Reg Cab SB RWD SRW	5.9L TDI	13,500	b, g
3500 Reg Cab SB RWD SRW	5.9L TDI	13,500	d, g
3500 Reg Cab SB RWD SRW	5.9L TDI-HO	14,350	b, f
3500 Reg Cab SB RWD SRW	5.9L TDI-HO	16,350	d, f
3500 Reg Cab SB RWD SRW	5.9L TDI-HO	13,550	b, g
3500 Reg Cab SB RWD SRW	5.9L TDI-HO	15,550	d, g
3500 Reg Cab LB RWD SRW	5.9L TDI	12,450	b, e
3500 Reg Cab LB RWD SRW	5.9L TDI	14,450	d, e
3500 Reg Cab LB RWD SRW	5.9L TDI	13,400	b, g
3500 Reg Cab LB RWD SRW	5.9L TDI	13,400	d, g
3500 Reg Cab LB RWD SRW	5.9L TDI-HO	14,300	b, f
3500 Reg Cab LB RWD SRW	5.9L TDI-HO	16,300	d, f
3500 Reg Cab LB RWD SRW	5.9L TDI-HO	13,450	b, g
3500 Reg Cab LB RWD SRW	5.9L TDI-HO	15,450	d, g
3500 Quad Cab LB RWD DRW	5.7L V-8	8,700	b, e
3500 Quad Cab LB RWD DRW	5.7L V-8	10,700	d, e
3500 Quad Cab LB RWD DRW	5.7L V-8	8,700	b, h
3500 Quad Cab LB RWD DRW	5.7L V-8	10,700	d, h
3500 Quad Cab LB RWD DRW	5.9L TDI	12,100	b, e
3500 Quad Cab LB RWD DRW	5.9L TDI	14,100	d, e
3500 Quad Cab LB RWD DRW	5.9L TDI	13,050	b, g
3500 Quad Cab LB RWD DRW	5.9L TDI	13,050	d, g
3500 Quad Cab LB RWD DRW	5.9L TDI-HO	13,950	b, f
3500 Quad Cab LB RWD DRW	5.9L TDI-HO	13,950	d, f
3500 Quad Cab LB RWD DRW	5.9L TDI-HO	13,100	b, g
3500 Quad Cab LB RWD DRW	5.9L TDI-HO	13,100	d, g
3500 Quad Cab SB 4WD SRW	5.9L TDI	12,100	b, e
3500 Quad Cab SB 4WD SRW	5.9L TDI	14,100	d, e
3500 Quad Cab SB 4WD SRW	5.9L TDI	13,100	b, g
3500 Quad Cab SB 4WD SRW	5.9L TDI	13,100	d, g
3500 Quad Cab SB 4WD SRW	5.9L TDI-HO	13,950	b, f
3500 Quad Cab SB 4WD SRW	5.9L TDI-HO	15,950	d, f
3500 Quad Cab SB 4WD SRW	5.9L TDI-HO	13,150	b, g
3500 Quad Cab SB 4WD SRW	5.9L TDI-HO	15,150	d, g
3500 Quad Cab LB 4WD SRW	5.9L TDI	11,950	b, e
3500 Quad Cab LB 4WD SRW	5.9L TDI	13,950	d, e
3500 Quad Cab LB 4WD SRW	5.9L TDI	12,950	b, g
3500 Quad Cab LB 4WD SRW	5.9L TDI	12,950	d, g
3500 Quad Cab LB 4WD SRW	5.9L TDI-HO	13,800	b, f
3500 Quad Cab LB 4WD SRW	5.9L TDI-HO	15,800	d, f
3500 Quad Cab LB 4WD SRW	5.9L TDI-HO	13,000	b, g
3500 Quad Cab LB 4WD SRW	5.9L TDI-HO	13,000	d, g
3500 Quad Cab LB 4WD DRW	5.7L V-8	8,200	b, e
3500 Quad Cab LB 4WD DRW	5.7L V-8	10,200	d, e
3500 Quad Cab LB 4WD DRW	5.7L V-8	8,250	b, h

3500 Quad Cab LB 4WD DRW	5.7L V-8	10,250	d, h
3500 Quad Cab LB 4WD DRW	5.9L TDI	11,600	b, e
3500 Quad Cab LB 4WD DRW	5.9L TDI	13,600	d, e
3500 Quad Cab LB 4WD DRW	5.9L TDI	12,600	b, g
3500 Quad Cab LB 4WD DRW	5.9L TDI	12,600	d, g
3500 Quad Cab LB 4WD DRW	5.9L TDI-HO	13,450	b, f
3500 Quad Cab LB 4WD DRW	5.9L TDI-HO	15,450	d, f
3500 Quad Cab LB 4WD DRW	5.9L TDI-HO	12,650	b, g
3500 Quad Cab LB 4WD DRW	5.9L TDI-HO	14,650	d, g

### Jeep

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Grand Cherokee	4.0L I-6	5,000	l
Grand Cherokee	4.7L V-8	6,500	n, o
Liberty	2.4L I-4	2,000	
Liberty	3.7L V-6	5,000	p
Wrangler	2.5L I-4	2,000	q
Wrangler	4.0L I-6	2,000	

### NOTES FOR ALL DAIMLERCHRYSLER VEHICLES:

**a** = 3.55:1 axle ratio; **b** = 3.73:1 axle ratio; **c** = 3.92:1 axle ratio; **d** = 4.10:1 axle ratio;  
**e** = 5 speed manual transmission; **f** = 6 speed manual transmission; **g** = 4 speed automatic transmission;  
**h** = 5 speed automatic transmission; **i** = High-GVW option; **j** = 17-inch LT275 tires; **k** = 20-inch tires;  
**l** = With Trailer Preparation Group; 2000 lb without; **m** = 1,500 lb for 2.7L V-6;  
**n** = 5,000 lb without towing package; **o** = 6,700 lb for RWD with towing package;  
**p** = Deduct 1,500 lb for manual transmission; **q** = Deduct 1,000 lb for 4-speed automatic transmission;  
**r** = with tow package;

### FORD/MERCURY

#### Crown Victoria/Grand Marquis

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Crown Victoria/Grand Marquis	4.6L V-8	2,000	q

#### E-Series Van Cargo

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
E-150 SWB CV	4.6L V-8	6,500	c
E-150 SWB CV	5.4L V-8	6,900	c
E-250 SWB CV	4.6L V-8	5,100	d
E-250 SWB CV	4.6L V-8	5,600	e
E-250 SWB CV	5.4L V-8	7,500	d
E-350 SWB CV	5.4L V-8	6,300	c
E-350 SWB CV	5.4L V-8	7,300	e
E-350 SWB CV	6.8L V-10	9,200	d

E-350 SWB CV	6.8L V-10	10,000	e
E-350 SWB CV	6.0L V-8 TDI	9,700	c
E-350 SWB CV	6.0L V-8 TDI	10,000	e
E-250 LWB CV	4.6L V-8	5,000	d
E-250 LWB CV	4.6L V-8	5,400	e
E-250 LWB CV	5.4L V-8	7,300	d
E-350 LWB CV	5.4L V-8	6,200	c
E-350 LWB CV	5.4L V-8	7,200	e
E-350 LWB CV	6.8L V-10	9,000	d
E-350 LWB CV	6.8L V-10	10,000	e
E-350 LWB CV	6.0L V-8 TDI	9,500	c
E-350 LWB CV	6.0L V-8 TDI	10,000	e

### E-Series Wagon Passenger

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
E-150 SWB PV	4.6L V-8	6,100	c
E-150 SWB PV	5.4L V-8	6,500	c
E-350 SWB PV	5.4L V-8	6,900	d/e
E-350 LWB PV	5.4L V-8	5,700	c
E-350 LWB PV	5.4L V-8	6,700	d/e
E-350 SWB PV	6.8L V-10	8,800	c
E-350 SWB PV	6.8L V-10	10,000	e
E-350 LWB PV	6.8L V-10	8,000	c
E-350 LWB PV	6.8L V-10	10,000	e
E-350 SWB PV	6.0L V-8 TDI	9,300	c
E-350 SWB PV	6.0L V-8 TDI	10,000	e
E-350 LWB PV	6.0L V-8 TDI	9,000	c
E-350 LWB PV	6.0L V-8 TDI	10,000	e

### Escape

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Escape FWD 4WD	3.0L V-6	2,000	j
Escape FWD 4WD	3.0L V-6	3,500	j, q

### Excursion

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
RWD	5.4L V-8	6,100	d
RWD	5.4L V-8	7,600	e
RWD	6.8L V-10	10,000	d
RWD	6.8L V-10	11,000	e
RWD	6.0L V-8 TDI	11,000	e
4WD	5.4L V-8	7,200	e
4WD	6.8L V-10	9,600	d
4WD	6.8L V-10	11,000	e
4WD	6.0L V-8 TDI	11,000	d

**Expedition****MODEL****ENGINE****TOW LIMIT (lb)****NOTES**

RWD	4.6L V-8	5,000	d
RWD	5.4L V-8	6,000	d
RWD	5.4L V-8	8,950	d, q
4WD	4.6L V-8	5,000	d
4WD	5.4L V-8	6,000	d
4WD	5.4L V-8	8,650	d, q

**Explorer/Explorer Sport/Explorer Sport Trac/Mountaineer****MODEL****ENGINE****TOW LIMIT (lb)****NOTES**

Explorer RWD	4.0L V-6	3,260	c, j, v
Explorer RWD	4.0L V-6	5,780	d, j, w
Explorer 4WD	4.0L V-6	3,400	c, j, v
Explorer 4WD	4.0L V-6	5,380	d, j, w
Explorer AWD	4.0L V-6	3,400	c, j, v
Explorer AWD	4.0L V-6	5,380	d, j, w
Explorer RWD	4.6L V-8	3,260	c, j, v
Explorer RWD	4.6L V-8	7,140	d, j, w, x
Explorer 4WD	4.6L V-8	3,420	c, j, w
Explorer 4WD	4.6L V-8	7,000	d, j, w, x
Explorer AWD	4.6L V-8	3,420	c, j, v
Explorer AWD	4.6L V-8	7,000	d, j, w, x
Explorer Sport XLS RWD	4.0L V-6	3,000	i, q
Explorer Sport XLS 4WD	4.0L V-6	2,800	i, q
Explorer Sport XLT RWD	4.0L V-6	5,040	j, q
Explorer Sport XLT 4WD	4.0L V-6	4,840	j, q
Explorer Sport Trac RWD	4.0L V-6	5,300	j
Explorer Sport Trac 4WD	4.0L V-6	5,080	j
Mountaineer RWD	4.0L V-6	3,100	c
Mountaineer RWD	4.0L V-6	5,620	d
Mountaineer AWD	4.0L V-6	3,240	c
Mountaineer AWD	4.0L V-6	5,220	d
Mountaineer RWD	4.6L V-8	3,020	c
Mountaineer RWD	4.6L V-8	6,980	c
Mountaineer AWD	4.6L V-8	3,260	c
Mountaineer AWD	4.6L V-8	6,840	c

**Freestar/Monterey Minivan****MODEL****ENGINE****TOW LIMIT (lb)****NOTES**

Freestar/Monterey	All	2,000	q
-------------------	-----	-------	---

**F-150 Harley-Davidson Truck****MODEL****ENGINE****TOW LIMIT (lb)****NOTES**



F-150 SuperCrew Harley-Davidson 5.4L V-8 SC 4,500 q  
RWD

**F-150 Heritage Light-Duty Truck ----- Conventional Towing**

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
F-150 Reg Cab RWD	4.2L V-6	2,000	a, i
F-150 Reg Cab RWD	4.2L V-6	3,500	c, i
F-150 Reg Cab 4WD	4.2L V-6	2,500	b, i
F-150 Reg Cab 4WD	4.2L V-6	3,200	c, i
F-150 SuperCab RWD	4.2L V-6	2,000	a, i
F-150 SuperCab RWD	4.2L V-6	3,300	c, i
F-150 Reg Cab RWD	4.2L V-6	4,600	b, j
F-150 Reg Cab RWD	4.2L V-6	5,700	c, j
F-150 Reg Cab 4WD	4.2L V-6	5,400	c, j
F-150 SuperCab RWD	4.2L V-6	4,500	b, j
F-150 SuperCab RWD	4.2L V-6	5,500	c, j
F-150 Reg Cab RWD	4.6L V-8	2,000	a, j
F-150 Reg Cab RWD	4.6L V-8	6,100	b, j
F-150 Reg Cab RWD	4.6L V-8	7,100	c, j
F-150 Reg Cab 4WD	4.6L V-8	5,800	b, j
F-150 Reg Cab 4WD	4.6L V-8	6,800	c, j, k
F-150 Reg Cab 4WD	4.6L V-8	6,300	c, j, l
F-150 SuperCab RWD	4.6L V-8	2,000	a, j
F-150 SuperCab RWD	4.6L V-8	5,900	b, j
F-150 SuperCab RWD	4.6L V-8	6,900	c, j
F-150 SuperCab 4WD	4.6L V-8	5,500	b, j
F-150 SuperCab 4WD	4.6L V-8	6,500	c, j, k
F-150 SuperCab 4WD	4.6L V-8	6,000	c, j, l
F-150 Reg Cab RWD	5.4L V-8	5,800	y
F-150 Reg Cab RWD	5.4L V-8	8,300	m, z
F-150 Reg Cab RWD	5.4L V-8	8,200	n, z
F-150 Reg Cab 4WD	5.4L V-8	8,000	m, z
F-150 Reg Cab 4WD	5.4L V-8	7,800	n, z
F-150 SuperCab RWD	5.4L V-8	8,200	m, z
F-150 SuperCab RWD	5.4L V-8	8,000	n, z
F-150 SuperCab 4WD	5.4L V-8	7,800	m, z
F-150 SuperCab 4WD	5.4L V-8	7,700	n, z

**F-150 Heritage Light-Duty Truck ----- Fifth-Wheel Towing**

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
F-150 Reg Cab RWD	4.2L V-6	5,700	c, j
F-150 Reg Cab 4WD	4.2L V-6	5,400	c, j
F-150 SuperCab RWD	4.2L V-6	5,500	c, j
F-150 Reg Cab RWD	4.6L V-8	7,200	c, j, k
F-150 Reg Cab 4WD	4.6L V-8	6,800	c, j, k

F-150 Reg Cab 4WD	4.6L V-8	6,300	c, j, l
F-150 SuperCab RWD	4.6L V-8	6,900	c, j, k
F-150 SuperCab 4WD	4.6L V-8	6,600	c, j, k
F-150 SuperCab 4WD	4.6L V-8	6,100	c, j, l

**F-150 Light-Duty Truck ----- Conventional Towing**

<b>MODEL</b>	<b>ENGINE</b>	<b>TOW LIMIT (lb)</b>	<b>NOTES</b>
F-150 Reg Cab RWD 126" WB	4.6L V-8	6,500	c, j
F-150 Reg Cab RWD 144.5" WB	4.6L V-8	6,600	c, j
F-150 Reg Cab 4WD 126" WB	4.6L V-8	6,200	c, j
F-150 Reg Cab 4WD 144.5" WB	4.6L V-8	6,300	c, j
F-150 SuperCrew RWD 138.5" WB	4.6L V-8	6,200	c, j
F-150 Reg Cab RWD 126" WB	4.6L V-8	7,000	d, j
F-150 Reg Cab RWD 144.5" WB	4.6L V-8	7,100	d, j
F-150 Reg Cab 4WD 126" WB	4.6L V-8	6,700	d, j
F-150 Reg Cab 4WD 144.5" WB	4.6L V-8	6,800	d, j
F-150 SuperCrew RWD 138.5" WB	4.6L V-8	6,700	d, j
F-150 SuperCrew 4WD 138.5" WB	4.6L V-8	6,500	d, j
F-150 Reg Cab RWD 126" WB	5.4L V-8	6,900	b, j
F-150 Reg Cab RWD 144.5" WB	5.4L V-8	7,300	b, j
F-150 Reg Cab RWD 126" WB	5.4L V-8	7,900	c, j
F-150 Reg Cab RWD 144.5" WB	5.4L V-8	8,800	c, j
F-150 Reg Cab 4WD 126" WB	5.4L V-8	7,700	c, j
F-150 Reg Cab 4WD 144.5" WB	5.4L V-8	8,500	c, j
F-150 SuperCrew RWD 138.5" WB	5.4L V-8	8,500	c, j
F-150 SuperCrew 4WD 138.5" WB	5.4L V-8	8,200	c, j
F-150 Reg Cab RWD 126" WB	5.4L V-8	8,400	d, j
F-150 Reg Cab RWD 144.5" WB	5.4L V-8	9,800	d, j
F-150 Reg Cab 4WD 126" WB	5.4L V-8	8,200	d, j
F-150 Reg Cab 4WD 144.5" WB	5.4L V-8	9,500	d, j
F-150 SuperCrew RWD 138.5" WB	5.4L V-8	9,500	d, j
F-150 SuperCrew 4WD 138.5" WB	5.4L V-8	9,200	d, j
F-150 Reg Cab RWD/4WD 144.5" WB	5.4L V-8	9,900/9,500	e, j
F-150 SuperCab RWD 132.5" WB	4.6L V-8	6,300	c, j
F-150 SuperCab RWD 144.5" WB	4.6L V-8	6,300	c, j
F-150 SuperCab 4WD 132.5" WB	4.6L V-8	5,900	c, j
F-150 SuperCab 4WD 144.5" WB	4.6L V-8	6,000	c, j
F-150 SuperCab RWD 132.5" WB	4.6L V-8	6,800	d, j
F-150 SuperCab RWD 144.5" WB	4.6L V-8	6,800	d, j
F-150 SuperCab 4WD 132.5" WB	4.6L V-8	6,400	d, j
F-150 SuperCab 4WD 144.5" WB	4.6L V-8	6,500	d, j
F-150 SuperCab RWD 132.5" WB	5.4L V-8	7,600	c, j
F-150 SuperCab RWD 144.5" WB	5.4L V-8	8,500	c, j
F-150 SuperCab 4WD 132.5" WB	5.4L V-8	7,300	c, j

F-150 SuperCab 4WD 144.5" WB	5.4L V-8	8,300	c, j
F-150 SuperCab RWD 132.5" WB	5.4L V-8	8,100	d, j
F-150 SuperCab RWD 144.5" WB	5.4L V-8	9,500	d, j
F-150 SuperCab RWD 163" WB	5.4L V-8	9,5	e, j
F-150 SuperCab 4WD 132.5" WB	5.4L V-8	7,8	d, j
F-150 SuperCab 4WD 144.5" WB	5.4L V-8	9,3	d, j
F-150 SuperCab 4WD 163" WB	5.4L V-8	9,2	e, j

### F-150 Light-Duty Truck ----- Fifth-Wheel Towing

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
F-150 Reg Cab RWD 126" WB	4.6L V-8	6,500	c, j, o
F-150 Reg Cab RWD 144.5" WB	4.6L V-8	6,600	c, j, o
F-150 Reg Cab 4WD 126" WB	4.6L V-8	6,200	c, j, o
F-150 Reg Cab 4WD 144.5" WB	4.6L V-8	6,300	c, j, o
F-150 Reg Cab RWD 126" WB	4.6L V-8	7,000	c, j, o
F-150 Reg Cab RWD 144.5" WB	4.6L V-8	7,100	d, j, o
F-150 Reg Cab 4WD 126" WB	4.6L V-8	6,700	d, j, o
F-150 Reg Cab 4WD 144.5" WB	4.6L V-8	6,800	d, j, o
F-150 Reg Cab RWD 126" WB	5.4L V-8	6,900	d, j, o
F-150 Reg Cab RWD 144.5" WB	5.4L V-8	7,300	d, j, o
F-150 Reg Cab RWD 126" WB	5.4L V-8	7,900	c, j, o
F-150 Reg Cab RWD 144.5" WB	5.4L V-8	8,800	c, j, o
F-150 Reg Cab 4WD 126" WB	5.4L V-8	7,700	c, j, o
F-150 Reg Cab 4WD 144.5" WB	5.4L V-8	8,500	c, j, o
F-150 Reg Cab RWD 126" WB	5.4L V-8	8,400	c, j, o
F-150 Reg Cab RWD 144.5" WB	5.4L V-8	9,800	d, j, o
F-150 Reg Cab 4WD 126" WB	5.4L V-8	8,200	d, j, o
F-150 Reg Cab 4WD 144.5" WB	5.4L V-8	9,500	d, j, o
F-150 Reg Cab RWD 144.5" WB	5.4L V-8	10,000	e, j, o
F-150 Reg Cab 4WD 144.5" WB	5.4L V-8	9,600	e, j, o
F-150 SuperCab RWD 144.5" WB	4.6L V-8	6,400	c, j
F-150 SuperCab 4WD 144.5" WB	4.6L V-8	6,100	c, j
F-150 SuperCab RWD 144.5" WB	4.6L V-8	6,900	d, j
F-150 SuperCab 4WD 144.5" WB	5.4L V-8	6,600	d, j
F-150 SuperCab RWD 144.5" WB	5.4L V-8	8,500	c, j
F-150 SuperCab 4WD 144.5" WB	5.4L V-8	8,300	c, j
F-150 SuperCab RWD 144.5" WB	5.4L V-8	9,500	d, j
F-150 SuperCab 4WD 144.5" WB	5.4L V-8	9,300	d, j
F-150 SuperCab RWD 163" WB	5.4L V-8	9,600	e, j
F-150 SuperCab 4WD 163" WB	5.4L V-8	9,200	e, j

### F-150 SVT Lightning Truck

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
F-150 Reg Cab RWD	5.4L V-8 SC	5,000	q

**Super Duty F-250/F-350 ----- Auto & Manual ----- Conventiional Towing**

<b>MODEL</b>	<b>ENGINE</b>	<b>TOW LIMIT (lb)</b>	<b>NOTES</b>
F-250/350 Reg Cab RWD SRW	5.4L V-8	7,800	d, i
F-250/350 Reg Cab RWD SRW	5.4L V-8	9,300	e, i
F-250/350 Reg Cab RWD DRW	5.4L V-8	7,600	d, i
F-250/350 Reg Cab RWD DRW	5.4L V-8	9,100	e, i
F-250/350 Reg Cab 4WD SRW	5.4L V-8	7,400	d, i
F-250/350 Reg Cab 4WD SRW	5.4L V-8	8,900	e, i
F-250/350 Reg Cab 4WD DRW	5.4L V-8	7,100	d, i
F-250/350 Reg Cab 4WD DRW	5.4L V-8	8,600	e, i
F-250/350 Reg Cab RWD SRW	6.8L V-10	10,600	d, i
F-250/350 Reg Cab RWD SRW	6.8L V-10	12,500	e, i
F-250/350 Reg Cab RWD DRW	6.8L V-10	10,400	d, i
F-250/350 Reg Cab RWD DRW	6.8L V-10	13,900	e, i
F-250/350 Reg Cab 4WD SRW	6.8L V-10	10,200	d, i
F-250/350 Reg Cab 4WD SRW	6.8L V-10	12,500	e, i
F-250/350 Reg Cab 4WD DRW	6.8L V-10	9,900	d, i
F-250/350 Reg Cab 4WD DRW	6.8L V-10	13,400	e, i
F-250/350 Reg Cab RWD SRW	6.0L V-8 TDI	12,500	d, i
F-250/350 Reg Cab RWD DRW	6.0L V-8 TDI	13,400	d, i
F-250/350 Reg Cab RWD DRW	6.0L V-8 TDI	13,400	e, i
F-250/350 Reg Cab 4WD SRW	6.0L V-8 TDI	12,500	d, i
F-250/350 Reg Cab 4WD DRW	6.0L V-8 TDI	12,900	d, i
F-250/350 Reg Cab 4WD DRW	6.0L V-8 TDI	12,900	e, i
F-250/350 Reg Cab RWD SRW	5.4L V-8	7,800	d, j
F-250/350 Reg Cab RWD SRW	5.4L V-8	9,300	e, j
F-250/350 Reg Cab RWD DRW	5.4L V-8	7,600	d, j
F-250/350 Reg Cab RWD DRW	5.4L V-8	9,100	e, j
F-250/350 Reg Cab 4WD SRW	5.4L V-8	7,400	d, j
F-250/350 Reg Cab 4WD SRW	5.4L V-8	8,900	e, j
F-250/350 Reg Cab 4WD DRW	5.4L V-8	7,200	d, j
F-250/350 Reg Cab 4WD DRW	5.4L V-8	8,700	e, j
F-250/350 Reg Cab RWD SRW	6.8L V-10	11,200	d, j
F-250/350 Reg Cab RWD SRW	6.8L V-10	12,500	e, j
F-250/350 Reg Cab RWD DRW	6.8L V-10	10,900	d, j
F-250/350 Reg Cab RWD DRW	6.8L V-10	13,900	e, j
F-250/350 Reg Cab 4WD SRW	6.8L V-10	10,800	d, j
F-250/350 Reg Cab 4WD SRW	6.8L V-10	12,500	e, j
F-250/350 Reg Cab 4WD DRW	6.8L V-10	10,400	d, j
F-250/350 Reg Cab 4WD DRW	6.8L V-10	13,400	e, j
F-250/350 Reg Cab RWD SRW	6.0L V-8 TDI	12,500	d, j
F-250/350 Reg Cab RWD DRW	6.0L V-8 TDI	13,400	e, j
F-250/350 Reg Cab RWD DRW	6.0L V-8 TDI	13,400	d, j
F-250/350 Reg Cab 4WD SRW	6.0L V-8 TDI	12,500	d, j
F-250/350 Reg Cab 4WD DRW	6.0L V-8 TDI	13,000	d, j

F-250/350 Reg Cab 4WD DRW	6.0L V-8 TDI	13,000	e, j
F-250/350 SuperCab RWD SRW	5.4L V-8	7,400	d, i
F-250/350 SuperCab RWD SRW	5.4L V-8	8,900	e, i
F-250/350 SuperCab RWD DRW	5.4L V-8	7,200	d, i
F-250/350 SuperCab RWD DRW	5.4L V-8	8,700	e, i
F-250/350 SuperCab 4WD SRW	5.4L V-8	7,000	d, i
F-250/350 SuperCab 4WD SRW	5.4L V-8	8,500	e, i
F-250/350 SuperCab 4WD DRW	5.4L V-8	6,800	d, i
F-250/350 SuperCab 4WD DRW	5.4L V-8	8,300	e, i
F-250/350 SuperCab RWD SRW	6.8L V-10	10,300	d, i
F-250/350 SuperCab RWD SRW	6.8L V-10	12,500	e, i
F-250/350 SuperCab RWD DRW	6.8L V-10	10,000	d, i
F-250/350 SuperCab RWD DRW	6.8L V-10	13,500	e, i
F-250/350 SuperCab 4WD SRW	6.8L V-10	9,900	d, i
F-250/350 SuperCab 4WD SRW	6.8L V-10	12,500	e, i
F-250/350 SuperCab 4WD DRW	6.8L V-10	9,600	d, i
F-250/350 SuperCab 4WD DRW	6.8L V-10	13,100	e, i
F-250/350 SuperCab RWD SRW	6.0L V-8 TDI	12,500	d, i
F-250/350 SuperCab RWD DRW	6.0L V-8 TDI	13,000	d, i
F-250/350 SuperCab RWD DRW	6.0L V-8 TDI	13,000	e, i
F-250/350 SuperCab 4WD SRW	6.0L V-8 TDI	12,500	d, i
F-250/350 SuperCab 4WD DRW	6.0L V-8 TDI	12,600	d, i
F-250/350 SuperCab 4WD DRW	6.0L V-8 TDI	12,600	e, i
F-250/350 SuperCab RWD SRW	5.4L V-8	7,500	d, j
F-250/350 SuperCab RWD SRW	5.4L V-8	9,000	e, j
F-250/350 SuperCab RWD DRW	5.4L V-8	7,200	d, j
F-250/350 SuperCab RWD DRW	5.4L V-8	8,700	e, j
F-250/350 SuperCab 4WD SRW	5.4L V-8	7,100	d, j
F-250/350 SuperCab 4WD SRW	5.4L V-8	8,600	e, j
F-250/350 SuperCab 4WD DRW	5.4L V-8	6,800	d, j
F-250/350 SuperCab 4WD DRW	5.4L V-8	8,300	e, j
F-250/350 SuperCab RWD SRW	6.8L V-10	10,800	d, j
F-250/350 SuperCab RWD SRW	6.8L V-10	12,500	e, j
F-250/350 SuperCab RWD DRW	6.8L V-10	10,500	d, j
F-250/350 SuperCab RWD DRW	6.8L V-10	13,500	e, j
F-250/350 SuperCab 4WD SRW	6.8L V-10	10,400	d, j
F-250/350 SuperCab 4WD SRW	6.8L V-10	12,500	e, j
F-250/350 SuperCab 4WD DRW	6.8L V-10	10,100	d, j
F-250/350 SuperCab 4WD DRW	6.8L V-10	13,100	e, j
F-250/350 SuperCab RWD SRW	6.0L V-8 TDI	12,500	d, j
F-250/350 SuperCab RWD DRW	6.0L V-8 TDI	13,000	d, j
F-250/350 SuperCab RWD DRW	6.0L V-8 TDI	13,000	e, j
F-250/350 SuperCab 4WD SRW	6.0L V-8 TDI	12,500	d, j
F-250/350 SuperCab 4WD DRW	6.0L V-8 TDI	12,600	d, j
F-250/350 SuperCab 4WD DRW	6.0L V-8 TDI	12,600	e, j

F-250/350 Crew Cab 4WD SRW	5.4L V-8	7,200	d, i
F-250/350 Crew Cab 4WD SRW	5.4L V-8	8,700	e, i
F-250/350 Crew Cab 4WD DRW	5.4L V-8	6,800	d, i
F-250/350 Crew Cab 4WD DRW	5.4L V-8	8,300	e, i
F-250/350 Crew Cab RWD SRW	6.8L V-10	10,100	d, i
F-250/350 Crew Cab RWD SRW	6.8L V-10	12,500	e, i
F-250/350 Crew Cab RWD DRW	6.8L V-10	9,800	d, i
F-250/350 Crew Cab RWD DRW	6.8L V-10	13,300	e, i
F-250/350 Crew Cab 4WD SRW	6.8L V-10	9,700	d, i
F-250/350 Crew Cab 4WD SRW	6.8L V-10	12,500	e, i
F-250/350 Crew Cab 4WD DRW	6.8L V-10	9,300	d, i
F-250/350 Crew Cab 4WD DRW	6.8L V-10	12,800	e, i
F-250/350 Crew Cab RWD SRW	6.0L V-8 TDI	12,500	d, i
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	d, i
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	e, i
F-250/350 Crew Cab 4WD SRW	6.0L V-8 TDI	12,500	d, i
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	d, i
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	e, i
F-250/350 Crew Cab RWD SRW	5.4L V-8	7,200	d, i
F-250/350 Crew Cab RWD SRW	5.4L V-8	8,700	e, i
F-250/350 Crew Cab 4WD SRW	5.4L V-8	6,900	d, i
F-250/350 Crew Cab 4WD SRW	5.4L V-8	8,400	e, i
F-250/350 Crew Cab RWD SRW	6.8L V-10	10,600	d, j
F-250/350 Crew Cab RWD SRW	6.8L V-10	12,500	f, j
F-250/350 Crew Cab RWD DRW	6.8L V-10	10,300	d, j
F-250/350 Crew Cab RWD DRW	6.8L V-10	13,300	f, j
F-250/350 Crew Cab 4WD SRW	6.8L V-10	10,200	d, j
F-250/350 Crew Cab 4WD SRW	6.8L V-10	12,500	f, j
F-250/350 Crew Cab 4WD DRW	6.8L V-10	9,900	d, j
F-250/350 Crew Cab 4WD DRW	6.8L V-10	12,900	f, j
F-250/350 Crew Cab RWD SRW	6.0L V-8 TDI	12,500	d, j
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	d, j
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	e, j
F-250/350 Crew Cab 4WD SRW	6.0L V-8 TDI	12,500	d, j
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	d, j
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	e, j

**NOTE:** For F-250/350 Reg Cab SRW models; F-350 trailer weights are shown.

F-250 trailer weights are within 100 lb.

**Super Duty F-250/350 ----- Fifth-Wheel Towing**

<b>MODEL</b>	<b>ENGINE</b>	<b>TOW LIMIT (lb)</b>	<b>NOTES</b>
F-250/350 Reg Cab RWD SRW	5.4L V-8	7,800	d, i
F-250/350 Reg Cab RWD SRW	5.4L V-8	9,300	e, i
F-250/350 Reg Cab RWD DRW	5.4L V-8	7,600	d, i

F-250/350 Reg Cab RWD DRW	5.4L V-8	9,100	e, i
F-250/350 Reg Cab 4WD SRW	5.4L V-8	7,400	d, i
F-250/350 Reg Cab 4WD SRW	5.4L V-8	8,900	e, i
F-250/350 Reg Cab 4WD DRW	5.4L V-8	7,100	d, i
F-250/350 Reg Cab 4WD DRW	5.4L V-8	8,600	e, i
F-250/350 Reg Cab RWD SRW	6.8L V-10	10,600	d, i
F-250/350 Reg Cab RWD SRW	6.8L V-10	14,100	f, i
F-250/350 Reg Cab RWD DRW	6.8L V-10	10,400	d, i
F-250/350 Reg Cab RWD DRW	6.8L V-10	13,900	f, i
F-250/350 Reg Cab 4WD SRW	6.8L V-10	10,200	d, i
F-250/350 Reg Cab 4WD SRW	6.8L V-10	13,700	f, i
F-250/350 Reg Cab 4WD DRW	6.8L V-10	9,900	d, i
F-250/350 Reg Cab 4WD DRW	6.8L V-10	13,400	f, i
F-250/350 Reg Cab RWD SRW	6.0L V-8 TDI	13,600	d, i
F-250/350 Reg Cab RWD DRW	6.0L V-8 TDI	13,400	d, i
F-250/350 Reg Cab RWD DRW	6.0L V-8 TDI	13,400	e, i
F-250/350 Reg Cab 4WD SRW	6.0L V-8 TDI	13,300	d, i
F-250/350 Reg Cab 4WD DRW	6.0L V-8 TDI	12,900	d, i
F-250/350 Reg Cab 4WD DRW	6.0L V-8 TDI	12,900	e, i
F-250/350 Reg Cab RWD SRW	5.4L V-8	7,800	d, j
F-250/350 Reg Cab RWD SRW	5.4L V-8	9,300	e, j
F-250/350 Reg Cab RWD DRW	5.4L V-8	7,600	d, j
F-250/350 Reg Cab RWD DRW	5.4L V-8	9,100	e, j
F-250/350 Reg Cab 4WD SRW	5.4L V-8	7,400	d, j
F-250/350 Reg Cab 4WD SRW	5.4L V-8	8,900	e, j
F-250/350 Reg Cab 4WD DRW	5.4L V-8	7,200	d, j
F-250/350 Reg Cab 4WD DRW	5.4L V-8	8,700	e, j
F-250/350 Reg Cab RWD SRW	6.8L V-10	11,200	d, j
F-250/350 Reg Cab RWD SRW	6.8L V-10	14,200	f, j
F-250/350 Reg Cab RWD DRW	6.8L V-10	10,900	d, j
F-250/350 Reg Cab RWD DRW	6.8L V-10	13,900	f, j
F-250/350 Reg Cab 4WD SRW	6.8L V-10	10,800	d, j
F-250/350 Reg Cab 4WD SRW	6.8L V-10	13,800	f, j
F-250/350 Reg Cab 4WD DRW	6.8L V-10	10,400	d, j
F-250/350 Reg Cab 4WD SRW	6.8L V-10	13,400	f, j
F-250/350 Reg Cab RWD SRW	6.0L V-8 TDI	13,700	d, j
F-250/350 Reg Cab RWD DRW	6.0L V-8 TDI	13,400	d, j
F-250/350 Reg Cab RWD DRW	6.0L V-8 TDI	13,400	e, j
F-250/350 Reg Cab 4WD SRW	6.0L V-8 TDI	13,300	d, j
F-250/350 Reg Cab 4WD DRW	6.0L V-8 TDI	13,000	d, j
F-250/350 Reg Cab 4WD DRW	6.0L V-8 TDI	13,000	e, j
F-250/350 SuperCab RWD SRW	5.4L V-8	7,400	d, i
F-250/350 SuperCab RWD SRW	5.4L V-8	8,900	e, i
F-250/350 SuperCab RWD DRW	5.4L V-8	7,200	d, i
F-250/350 SuperCab RWD DRW	5.4L V-8	8,700	e, i

F-250/350 SuperCab 4WD SRW	5.4L V-8	7,000	d, i
F-250/350 SuperCab 4WD SRW	5.4L V-8	8,500	e, i
F-250/350 SuperCab 4WD DRW	5.4L V-8	6,800	d, i
F-250/350 SuperCab 4WD DRW	5.4L V-8	8,300	e, i
F-250/350 SuperCab RWD SRW	6.8L V-10	10,300	d, i
F-250/350 SuperCab RWD SRW	6.8L V-10	13,800	f, i
F-250/350 SuperCab RWD DRW	6.8L V-10	10,000	d, i
F-250/350 SuperCab RWD DRW	6.8L V-10	13,500	f, i
F-250/350 SuperCab 4WD SRW	6.8L V-10	9,900	d, i
F-250/350 SuperCab 4WD SRW	6.8L V-10	13,400	f, i
F-250/350 SuperCab 4WD DRW	6.8L V-10	9,600	d, i
F-250/350 SuperCab 4WD DRW	6.8L V-10	13,100	f, i
F-250/350 SuperCab RWD SRW	6.0L V-8 TDI	13,300	d, i
F-250/350 SuperCab RWD DRW	6.0L V-8 TDI	13,000	d, i
F-250/350 SuperCab RWD DRW	6.0L V-8 TDI	13,000	e, i
F-250/350 SuperCab 4WD SRW	6.0L V-8 TDI	12,900	d, i, p
F-250/350 SuperCab 4WD DRW	6.0L V-8 TDI	12,600	d, i
F-250/350 SuperCab 4WD DRW	6.0L V-8 TDI	12,600	e, i
F-250/350 SuperCab RWD SRW	5.4L V-8	7,500	d, j
F-250/350 SuperCab RWD SRW	5.4L V-8	9,000	e, j
F-250/350 SuperCab RWD DRW	5.4L V-8	7,200	d, j
F-250/350 SuperCab RWD DRW	5.4L V-8	8,700	e, j
F-250/350 SuperCab 4WD SRW	5.4L V-8	7,100	d, j
F-250/350 SuperCab 4WD SRW	5.4L V-8	8,600	e, j
F-250/350 SuperCab 4WD DRW	5.4L V-8	6,800	d, j
F-250/350 SuperCab 4WD DRW	5.4L V-8	8,300	e, j
F-250/350 SuperCab RWD SRW	6.8L V-10	10,800	d, j
F-250/350 SuperCab RWD SRW	6.8L V-10	13,800	f, j
F-250/350 SuperCab RWD DRW	6.8L V-10	10,500	d, j
F-250/350 SuperCab RWD DRW	6.8L V-10	13,500	f, j
F-250/350 SuperCab 4WD SRW	6.8L V-10	10,400	d, j
F-250/350 SuperCab 4WD SRW	6.8L V-10	13,400	f, j
F-250/350 SuperCab 4WD DRW	6.8L V-10	10,100	d, j
F-250/350 SuperCab 4WD DRW	6.8L V-10	13,100	f, j
F-250/350 SuperCab RWD SRW	6.0L V-8 TDI	13,300	d, j
F-250/350 SuperCab RWD DRW	6.0L V-8 TDI	13,000	d, j
F-250/350 SuperCab RWD DRW	6.0L V-8 TDI	13,000	e, j
F-250/350 SuperCab 4WD SRW	6.0L V-8 TDI	13,000	d, j, p
F-250/350 SuperCab 4WD DRW	6.0L V-8 TDI	12,600	d, j
F-250/350 SuperCab 4WD DRW	6.0L V-8 TDI	12,600	e, j
F-250/350 Crew Cab RWD SRW	5.4L V-8	7,200	d, i
F-250/350 Crew Cab RWD SRW	5.4L V-8	8,700	e, i
F-250/350 Crew Cab 4WD SRW	5.4L V-8	6,800	d, i
F-250/350 Crew Cab 4WD SRW	5.4L V-8	8,300	e, i
F-250/350 Crew Cab RWD SRW	6.8L V-10	10,100	d, i



F-250/350 Crew Cab RWD SRW	6.8L V-10	13,600	f, i
F-250/350 Crew Cab RWD DRW	6.8L V-10	9,800	d, i
F-250/350 Crew Cab RWD DRW	6.8L V-10	13,300	f, i
F-250/350 Crew Cab 4WD SRW	6.8L V-10	9,700	d, i
F-250/350 Crew Cab 4WD SRW	6.8L V-10	13,200	f, i
F-250/350 Crew Cab 4WD DRW	6.8L V-10	9,300	d, i
F-250/350 Crew Cab 4WD DRW	6.8L V-10	12,800	f, i
F-250/350 Crew Cab RWD SRW	6.0L V-8 TDI	12,900	d, i
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	d, i
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	e, i
F-250/350 Crew Cab 4WD SRW	6.0L V-8 TDI	12,700	d, i, p
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	d, i
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	e, i
F-250/350 Crew Cab RWD SRW	5.4L V-8	7,200	d, i
F-250/350 Crew Cab RWD SRW	5.4L V-8	8,700	e, i
F-250/350 Crew Cab 4WD SRW	5.4L V-8	6,800	d, i
F-250/350 Crew Cab 4WD SRW	5.4L V-8	8,300	e, i
F-250/350 Crew Cab RWD SRW	6.8L V-10	10,100	d, i
F-250/350 Crew Cab RWD SRW	6.8L V-10	13,600	f, i
F-250/350 Crew Cab RWD DRW	6.8L V-10	9,800	d, i
F-250/350 Crew Cab RWD DRW	6.8L V-10	13,300	f, i
F-250/350 Crew Cab 4WD SRW	6.8L V-10	9,700	d, i
F-250/350 Crew Cab 4WD SRW	6.8L V-10	13,200	f, i
F-250/350 Crew Cab 4WD DRW	6.8L V-10	9,300	d, i
F-250/350 Crew Cab 4WD DRW	6.8L V-10	12,800	f, i
F-250/350 Crew Cab RWD SRW	6.0L V-8 TDI	12,900	d, i
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	d, i
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	e, i
F-250/350 Crew Cab 4WD SRW	6.0L V-8 TDI	12,700	d, i, p
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	d, i
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	e, i
F-250/350 Crew Cab RWD SRW	5.4L V-8	7,200	d, j
F-250/350 Crew Cab RWD SRW	5.4L V-8	8,700	e, j
F-250/350 Crew Cab 4WD SRW	5.4L V-8	6,900	d, j
F-250/350 Crew Cab 4WD SRW	5.4L V-8	8,400	e, j
F-250/350 Crew Cab RWD SRW	6.8L V-10	10,600	d, j
F-250/350 Crew Cab RWD SRW	6.8L V-10	13,600	f, j
F-250/350 Crew Cab RWD DRW	6.8L V-10	10,300	d, j
F-250/350 Crew Cab RWD DRW	6.8L V-10	13,300	f, j
F-250/350 Crew Cab 4WD SRW	6.8L V-10	10,200	d, j
F-250/350 Crew Cab 4WD SRW	6.8L V-10	13,200	f, j
F-250/350 Crew Cab 4WD DRW	6.8L V-10	9,900	d, j
F-250/350 Crew Cab 4WD DRW	6.8L V-10	12,900	f, j
F-250/350 Crew Cab RWD SRW	6.0L V-8 TDI	13,100	d, j
F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	d, j

F-250/350 Crew Cab RWD DRW	6.0L V-8 TDI	12,800	e, j
F-250/350 Crew Cab 4WD SRW	6.0L V-8 TDI	12,700	d, j, p
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	d, j
F-250/350 Crew Cab 4WD DRW	6.0L V-8 TDI	12,400	e, j

**NOTE:** For F-250/350 Reg Cab SRW models; F-350 trailer weights are shown.

F-250 trailer weights are within 100 lb.

### Super Duty F-250/350 ----- Fifth-Wheel Towing

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
F-350 Reg Cab RWD SRW	5.4L V-8	7,200	d, j
F-350 Reg Cab RWD SRW	5.4L V-8	8,700	e, j
F-350 Reg Cab RWD SRW	5.4L V-8	7,300	d, j
F-350 Reg Cab RWD SRW	5.4L V-8	8,800	e, j
F-350 Reg Cab RWD SRW	6.8L V-10	10,100	d, j
F-350 Reg Cab RWD SRW	6.8L V-10	10,600	d, j
F-350 Reg Cab RWD SRW	6.0L V-8 TDI	13,100	d, j
F-350 Reg Cab RWD SRW	6.0L V-8 TDI	13,100	d, j
F-350 Reg Cab RWD DRW	5.4L V-8	7,000	d, j
F-350 Reg Cab RWD DRW	5.4L V-8	8,500	e, i
F-350 Reg Cab RWD DRW	5.4L V-8	7,000	d, j
F-350 Reg Cab RWD DRW	5.4L V-8	8,500	e, j
F-350 Reg Cab RWD DRW	6.8L V-10	9,800	d, i
F-350 Reg Cab RWD DRW	6.8L V-10	10,300	d, j
F-350 Reg Cab RWD DRW	6.8L V-10	13,300	e, j
F-350 Reg Cab RWD DRW	6.8L V-10	13,300	f, i
F-350 Reg Cab RWD DRW	6.0L V-8 TDI	12,800	d, i
F-350 Reg Cab RWD DRW	6.0L V-8 TDI	12,800	e, i
F-350 Reg Cab RWD DRW	6.0L V-8 TDI	12,900	d, j
F-350 Reg Cab RWD DRW	6.0L V-8 TDI	12,900	e, j
F-350 Reg Cab 4WD SRW	5.4L V-8	6,800	d, i
F-350 Reg Cab 4WD SRW	5.4L V-8	8,300	e, i
F-350 Reg Cab 4WD SRW	5.4L V-8	6,800	d, j
F-350 Reg Cab 4WD SRW	5.4L V-8	8,300	e, j
F-350 Reg Cab 4WD SRW	6.8L V-10	9,700	d, i
F-350 Reg Cab 4WD SRW	6.8L V-10	10,200	d, j
F-350 Reg Cab 4WD SRW	6.0L V-8 TDI	12,700	d, i
F-350 Reg Cab 4WD SRW	6.0L V-8 TDI	12,700	d, j
F-350 Reg Cab 4WD DRW	5.4L V-8	6,500	d, i
F-350 Reg Cab 4WD DRW	5.4L V-8	8,000	e, i
F-350 Reg Cab 4WD DRW	5.4L V-8	6,500	d, j
F-350 Reg Cab 4WD DRW	5.4L V-8	8,000	e, j
F-350 Reg Cab 4WD DRW	6.8L V-10	9,300	d, i
F-350 Reg Cab 4WD DRW	6.8L V-10	9,800	d, j
F-350 Reg Cab 4WD DRW	6.8L V-10	12,800	e, j
F-350 Reg Cab 4WD DRW	6.8L V-10	12,800	f, i

F-350 Reg Cab 4WD DRW	6.0L V-8 TDI	12,300	d, i
F-350 Reg Cab 4WD DRW	6.0L V-8 TDI	12,300	d, j
F-350 Reg Cab 4WD DRW	6.0L V-8 TDI	12,300	e, i
F-350 Reg Cab 4WD DRW	6.0L V-8 TDI	12,300	e, j
F-350 Reg Cab RWD DRW	6.8L V-10	14,600	g, i
F-350 Reg Cab RWD DRW	6.8L V-10	14,600	h, i
F-350 Reg Cab RWD DRW	6.8L V-10	16,600	g, j
F-350 Reg Cab RWD DRW	6.8L V-10	18,600	h, j
F-350 Reg Cab RWD DRW	6.0L V-8 TDI	18,100	f, i
F-350 Reg Cab RWD DRW	6.0L V-8 TDI	18,100	f, j
F-350 Reg Cab RWD DRW	6.0L V-8 TDI	18,100	g, i
F-350 Reg Cab RWD DRW	6.0L V-8 TDI	18,100	g, j
F-350 Reg Cab 4WD DRW	6.8L V-10	14,200	g, i
F-350 Reg Cab 4WD DRW	6.8L V-10	14,200	h, i
F-350 Reg Cab 4WD DRW	6.8L V-10	16,300	g, j
F-350 Reg Cab 4WD DRW	6.8L V-10	18,300	h, j
F-350 Reg Cab 4WD DRW	6.0L V-8 TDI	17,700	f, i
F-350 Reg Cab 4WD DRW	6.0L V-8 TDI	17,700	g, i
F-350 Reg Cab 4WD DRW	6.0L V-8 TDI	17,800	f, j
F-350 Reg Cab 4WD DRW	6.0L V-8 TDI	17,800	g, j
F-350 Reg Cab RWD DRW	6.8L V-10	14,500	g, i
F-350 Reg Cab RWD DRW	6.8L V-10	14,500	h, i
F-350 Reg Cab RWD DRW	6.8L V-10	16,500	g, j
F-350 Reg Cab RWD DRW	6.8L V-10	18,500	h, j
F-350 Reg Cab RWD DRW	6.0L V-8 TDI	18,000	g, i
F-350 Reg Cab RWD DRW	6.0L V-8 TDI	18,000	g, j
F-350 Reg Cab 4WD DRW	6.8L V-10	14,100	g, i
F-350 Reg Cab 4WD DRW	6.8L V-10	14,100	h, i
F-350 Reg Cab 4WD DRW	6.8L V-10	16,200	g, j
F-350 Reg Cab 4WD DRW	6.8L V-10	18,200	h, j
F-350 Reg Cab 4WD DRW	6.0L V-8 TDI	17,700	g, i
F-350 Reg Cab 4WD DRW	6.0L V-8 TDI	17,700	g, j
F-350 SuperCab RWD SRW	5.4L V-8	6,900	d, i
F-350 SuperCab RWD SRW	5.4L V-8	8,400	e, i
F-350 SuperCab RWD SRW	5.4L V-8	6,900	d, j
F-350 SuperCab RWD SRW	5.4L V-8	8,400	e, j
F-350 SuperCab RWD SRW	6.8L V-10	9,700	d, i
F-350 SuperCab RWD SRW	6.8L V-10	10,300	d, j
F-350 SuperCab RWD SRW	6.0L V-8 TDI	12,700	d, i
F-350 SuperCab RWD SRW	6.0L V-8 TDI	12,800	d, j
F-350 SuperCab RWD DRW	6.8L V-10	9,500	d, i
F-350 SuperCab RWD DRW	6.8L V-10	10,000	d, j
F-350 SuperCab RWD DRW	6.8L V-10	13,000	f, i
F-350 SuperCab RWD DRW	6.8L V-10	13,000	f, j
F-350 SuperCab RWD DRW	6.0L V-8 TDI	12,500	d, i

F-350 SuperCab RWD DRW	6.0L V-8 TDI	12,500	d, j
F-350 SuperCab RWD DRW	6.0L V-8 TDI	12,500	e, i
F-350 SuperCab RWD DRW	6.0L V-8 TDI	12,500	e, j
F-350 SuperCab 4WD SRW	5.4L V-8	6,400	d, i
F-350 SuperCab 4WD SRW	5.4L V-8	7,900	e, i
F-350 SuperCab 4WD SRW	5.4L V-8	6,500	d, j
F-350 SuperCab 4WD SRW	5.4L V-8	8,000	e, j
F-350 SuperCab 4WD SRW	6.8L V-10	9,300	d, i
F-350 SuperCab 4WD SRW	6.8L V-10	9,800	d, j
F-350 SuperCab 4WD SRW	6.0L V-8 TDI	12,300	d, i
F-350 SuperCab 4WD SRW	6.0L V-8 TDI	12,300	d, j
F-350 SuperCab 4WD DRW	6.8L V-10	9,000	d, i
F-350 SuperCab 4WD DRW	6.8L V-10	9,500	d, j
F-350 SuperCab 4WD DRW	6.8L V-10	12,500	f, i
F-350 SuperCab 4WD DRW	6.8L V-10	12,500	f, j
F-350 SuperCab 4WD DRW	6.0L V-8 TDI	12,000	d, i
F-350 SuperCab 4WD DRW	6.0L V-8 TDI	12,000	e, i
F-350 SuperCab 4WD DRW	6.0L V-8 TDI	12,100	d, j
F-350 SuperCab 4WD DRW	6.0L V-8 TDI	12,100	e, j
F-450 SuperCab RWD DRW	6.8L V-10	14,200	g, i
F-450 SuperCab RWD DRW	6.8L V-10	14,200	h, i
F-450 SuperCab RWD DRW	6.8L V-10	16,200	g, j
F-450 SuperCab RWD DRW	6.8L V-10	18,200	h, j
F-450 SuperCab RWD DRW	6.0L V-8 TDI	17,700	f, i
F-450 SuperCab RWD DRW	6.0L V-8 TDI	17,700	f, j
F-450 SuperCab RWD DRW	6.0L V-8 TDI	17,700	g, i
F-450 SuperCab RWD DRW	6.0L V-8 TDI	17,700	g, j
F-450 SuperCab 4WD DRW	6.8L V-10	13,900	g, i
F-450 SuperCab 4WD DRW	6.8L V-10	13,900	h, i
F-450 SuperCab 4WD DRW	6.8L V-10	15,900	g, j
F-450 SuperCab 4WD DRW	6.8L V-10	17,900	h, j
F-450 SuperCab 4WD DRW	6.0L V-8 TDI	17,400	f, i
F-450 SuperCab 4WD DRW	6.0L V-8 TDI	17,400	f, j
F-450 SuperCab 4WD DRW	6.0L V-8 TDI	17,400	g, i
F-450 SuperCab 4WD DRW	6.0L V-8 TDI	17,400	g, j
F-550 SuperCab RWD DRW	6.8L V-10	14,100	g, i
F-550 SuperCab RWD DRW	6.8L V-10	14,100	h, i
F-550 SuperCab RWD DRW	6.8L V-10	16,200	g, j
F-550 SuperCab RWD DRW	6.8L V-10	18,200	h, j
F-550 SuperCab RWD DRW	6.0L V-8 TDI	17,600	g, i
F-550 SuperCab RWD DRW	6.0L V-8 TDI	17,700	g, j
F-550 SuperCab 4WD DRW	6.8L V-10	13,800	g, i
F-550 SuperCab 4WD DRW	6.8L V-10	13,800	h, i
F-550 SuperCab 4WD DRW	6.8L V-10	15,800	g, j
F-550 SuperCab 4WD DRW	6.8L V-10	17,800	h, j

F-550 SuperCab 4WD DRW	6.0L V-8 TDI	17,300	g, i
F-550 SuperCab 4WD DRW	6.0L V-8 TDI	17,300	g, j
F-350 Crew Cab RWD SRW	5.4L V-8	6,700	d, i
F-350 Crew Cab RWD SRW	5.4L V-8	8,200	e, i
F-350 Crew Cab RWD SRW	5.4L V-8	6,700	d, j
F-350 Crew Cab RWD SRW	5.4L V-8	8,200	e, j
F-350 Crew Cab RWD SRW	6.8L V-10	9,500	d, i
F-350 Crew Cab RWD SRW	6.8L V-10	10,100	d, j
F-350 Crew Cab RWD SRW	6.0L V-8 TDI	12,500	d, i
F-350 Crew Cab RWD SRW	6.0L V-8 TDI	12,600	d, j
F-350 Crew Cab RWD DRW	6.8L V-10	9,200	d, i
F-350 Crew Cab RWD DRW	6.8L V-10	9,700	d, j
F-350 Crew Cab RWD DRW	6.8L V-10	12,700	f, j
F-350 Crew Cab RWD DRW	6.8L V-10	12,700	f, i
F-350 Crew Cab RWD DRW	6.0L V-8 TDI	12,200	d, i
F-350 Crew Cab RWD DRW	6.0L V-8 TDI	12,200	e, i
F-350 Crew Cab RWD DRW	6.0L V-8 TDI	12,300	d, j
F-350 Crew Cab RWD DRW	6.0L V-8 TDI	12,300	e, j
F-350 Crew Cab 4WD SRW	5.4L V-8	6,200	d, i
F-350 Crew Cab 4WD SRW	5.4L V-8	7,700	e, i
F-350 Crew Cab 4WD SRW	5.4L V-8	6,300	d, j
F-350 Crew Cab 4WD SRW	5.4L V-8	7,800	e, j
F-350 Crew Cab 4WD SRW	6.8L V-10	9,100	d, i
F-350 Crew Cab 4WD SRW	6.8L V-10	9,600	d, j
F-350 Crew Cab 4WD SRW	6.0L V-8 TDI	12,100	d, i
F-350 Crew Cab 4WD SRW	6.0L V-8 TDI	12,100	d, j
F-350 Crew Cab 4WD DRW	6.8L V-10	8,700	d, i
F-350 Crew Cab 4WD DRW	6.8L V-10	9,300	d, j
F-350 Crew Cab 4WD DRW	6.8L V-10	12,200	f, i
F-350 Crew Cab 4WD DRW	6.8L V-10	12,300	f, j
F-350 Crew Cab 4WD DRW	6.0L V-8 TDI	11,700	d, i
F-350 Crew Cab 4WD DRW	6.0L V-8 TDI	11,700	e, i
F-350 Crew Cab 4WD DRW	6.0L V-8 TDI	11,800	d, j
F-350 Crew Cab 4WD DRW	6.0L V-8 TDI	11,800	e, j
F-450 Crew Cab RWD DRW	6.8L V-10	14,000	g, i
F-450 Crew Cab RWD DRW	6.8L V-10	14,000	h, i
F-450 Crew Cab RWD DRW	6.8L V-10	16,000	g, j
F-450 Crew Cab RWD DRW	6.8L V-10	18,000	h, j
F-450 Crew Cab RWD DRW	6.0L V-8 TDI	17,500	f, i
F-450 Crew Cab RWD DRW	6.0L V-8 TDI	17,500	f, j
F-450 Crew Cab RWD DRW	6.0L V-8 TDI	17,500	g, i
F-450 Crew Cab RWD DRW	6.0L V-8 TDI	17,500	g, j
F-450 Crew Cab 4WD DRW	6.8L V-10	13,700	g, i
F-450 Crew Cab 4WD DRW	6.8L V-10	13,700	h, i
F-450 Crew Cab 4WD DRW	6.8L V-10	15,700	g, j

F-450 Crew Cab 4WD DRW	6.8L V-10	17,700	h, j
F-450 Crew Cab 4WD DRW	6.0L V-8 TDI	17,200	f, i
F-450 Crew Cab 4WD DRW	6.0L V-8 TDI	17,200	f, j
F-450 Crew Cab 4WD DRW	6.0L V-8 TDI	17,200	g, i
F-450 Crew Cab 4WD DRW	6.0L V-8 TDI	17,200	g, j
F-550 Crew Cab RWD DRW	6.8L V-10	13,900	g, i
F-550 Crew Cab RWD DRW	6.8L V-10	13,900	h, i
F-550 Crew Cab RWD DRW	6.8L V-10	15,900	g, j
F-550 Crew Cab RWD DRW	6.8L V-10	17,900	h, j
F-550 Crew Cab RWD DRW	6.0L V-8 TDI	17,400	g, i
F-550 Crew Cab RWD DRW	6.0L V-8 TDI	17,400	g, j
F-550 Crew Cab RWD DRW	6.0L V-8 TDI	21,400	g, j, q
F-550 Crew Cab 4WD DRW	6.8L V-10	13,600	g, i
F-550 Crew Cab 4WD DRW	6.8L V-10	13,600	h, i
F-550 Crew Cab 4WD DRW	6.8L V-10	15,600	g, j
F-550 Crew Cab 4WD DRW	6.8L V-10	17,600	h, j
F-550 Crew Cab 4WD DRW	6.0L V-8 TDI	17,000	g, i
F-550 Crew Cab 4WD DRW	6.0L V-8 TDI	17,100	g, j

**Notes for all Ford/Mercury Products:**

**a** = 3,08:1 axle ratio; **b** = 3,31:1 axle ratio; **c** = 3,55:1 axle ratio; **d** = 3,73:1 axle ratio;  
**e** = 4,09/4,10:1 axle ratio; **f** = 4,30:1 axle ratio; **g** = 4,88:1 axle ratio; **h** = 5,38:1 axle ratio;  
**i** = manual transmission; **j** = Automatic transmission; **k** = with 16-inch or P275 17-inch tires;  
**l** = 3 with 16-inch or P265 17-inch tires; **m** = when operated on LP-gas; **n** = when operated on  
Compressed natural gas; **o** = reduce max. trailer weight by 500 lb on models with 18-inch wheels; **p**  
= maximum loaded trailer weight for F-250 SuperCrew4WD SRW is 12,000 lb; **q** = with towing  
package;  
**r** = 2,740 lb with FX4 Level II; **s** = 5,200 lb with FX4 Level II; **t** = Ranger Edge only;  
**u** = 3,320 lb for Ranger Edge; **v** = with Class II hitch; **w** = with Class II/IV hitch; **x** = deduct 500 lb  
with auxiliary climat-control option; **y** = Compressed natural-gas fuel version; **z** = Bi-Fuel version;

**HONDA**

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Odyssey LX, EX	3.5L V-6	3,5	a
Pilot LX, EX	3.5L V-6	3,5	a, b

**a** = Requires surge-type or electric trailer brakes, load distribution hitch and transmission oil cooler;  
**b** = Boat towing capacity is 4,500 lb.

**HUMMER**

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
HUMMER H1 4dr Open Top	6.5L V-8 TDI	8,050	
HUMMER H1 Station Wagon	6.5L V-8 TDI	7,710	
HUMMER H2		6,700	d, f

**HYUNDAI**

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
-------	--------	----------------	-------

Santa Fe RWD	2.4L I-4	1,700	a
Santa Fe RWD	2.7L V-6	3,200	a
Santa Fe RWD	3.5L V-6	3,300	a
Santa Fe 4WD	2.7L V-6	2,700	a
Santa Fe 4WD	3.5L V-6	2,800	a

**a** = With trailer brakes, 2 passengers

### INFINITI

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
FX35/45	All	3,500	

### ISUZU

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Ascender RWD	4.2L I-6	5,500	a
Ascender RWD	5.3L V-8	6,800	a
Ascender 4WD	4.2L I-6	5,300	a
Ascender 4WD	5.3L V-8	6,300	a
Axiom	3.5L V-6	7,000	
Rodeo	3.2L V-6	4,500	a
Rodeo/Rodeo Sport	2.2L I-4	2,500	
Rodeo Sport	3.2L V-6	4,500	a

**a** = Trailer brakes required for trailers over 3,500 lb.

### KIA

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Sedona	3.5L V-6	3,500	
Sorento	3.5L V-6	3,500	

### LAND ROVER

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Discovery Series II	4.6L	5,500	a
Freelander	2.5L V-6	2,500	
Range Rover	4.4L V-8	7,700	b

**a** = Deduct 3,850 lb for trailers without brakes; **b** = In low range, 6,500 in high range.

### LEXUS

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
GX 470	4.7L V-8	5,000	
LX 470	4.7L V-8	6,500	b
RX 330	3.3L V-6	3,500	a

### LINCOLN

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
-------	--------	----------------	-------

Aviator RWD/AWD	4.L V-8	7,300/7,100	
Navigator RWD/AWD	5.4L V-8	8,600/8,300	a/a

**a** = Requires Class II/IV Trailer Tow Package w/load-equalizing hitch.

### MAZDA

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
B2300 Reg Cab RWD	2.3L I-4	2,260	c, e
B3000 Reg Cab 4WD	3.0L V-6	2,560	c, d
B3000 Reg Cab 4WD	3.0L V-6	2,520	c, e
B3000 Cab Plus/Cab Plus 4 RWD	3.0L V-6	2,480	b, d
B3000 Cab Plus/Cab Plus 4 RWD	3.0L V-6	2,440	b, e
B3000 Cab Plus/Cab Plus 4 RWD	3.0L V-6	2,340	c, e
B4000 Cab Plus/Cab Plus 4 RWD	4.0L V-6	3,320	a, d
B4000 Cab Plus/Cab Plus 4 RWD	4.0L V-6	5,760	a, e
B4000 Cab Plus/Cab Plus 4 RWD	4.0L V-6	3,120	c, d
B4000 Cab Plus/Cab Plus 4 RWD	4.0L V-6	5,580	c, e
Tribute	3.0L V-6	3,500	e, f

**a** = 3.55:1 Axle Ratio; **b** = 3.73:1 Axle Ratio; **c** = 4.10:1 Axle Ratio; **d** = Manual Transmission; **e** = Automatic Transmission; **f** = 2,000 lb without towing package.

### MERCEDEZ-BENZ

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
G500	5.0L V-8	7,000	
G55AMG	5.4L V-8	7,000	
ML350	3.7 L V-6	5,000	
ML500	5.0L V-8	5,000	

### MITSUBISHI

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Montero/Montero Sport	All	5,000	a
Endeavor FWD	3.8L V-6	2,000	b
Endeavor AWD	3.8L V6	3,500	c

**a** = Deduct 3,500 lb for trailers without brakes; **b** = Towing Prp package required.

### NISSAN

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Frontier	2.4L I-4	3,000	a, e
Frontier	3.3L V-6	2,000	b, e
Frontier 4WD	3.3L V-6 SC	5,000	b, d, e
Murano FWD, AWD	3.5L V-6	3,500	
Pathfinder	3.5L V-6	5,000	b, e
Pathfinder	3.5L V-6	3,500	a, e
Pathfinder Armada	5.6L V-8	6,300	d
Pathfinder Armada	5.6L V-8	9,100	c, e
Titan King /Crew Cab RWD/4WD	5.6L V-8	6,500	g, h



Titan King /Crew Cab RWD/4WD	5.6L V-8	9,500	c, e, h
Quest	3.5L V-6	3,500	b, e
Xterra	2.4L I-4	3,500	a, e
Xterra	3.3L V-6	5,000	b, e
Xterra	3.3L V-6 SC	3,500	e

**a** = Manual Transmission; **b** = Automatic Transmission; **c** = 3.36:1 Axle Ratio;  
**d** = 2.937:1 Axle Ratio; **e** = With towing package; **f** = Requires factory wiring harness;  
**g** = Deduct 1,500 lb for manual transmission; deduct 100 lb for supercharged, crew cab & longbed models;  
**h** = For High Utility Bed option, deduct 100 lb on SE models, 200 lb on LE models .

### PORSCHE

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Cayenne S/Turbo	4.5L V-8/4.6L V-8 TCI	7,716	

### SATURN

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
VUE AWD	3.5L V-6	2,500	a

**a** = With trailer brakes; 1,000 lb without.

### SUBARU

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Baja/Sport/Turbo	All	2,400	
Forester/Legacy Outback	All	2,400	a
Forester/Legacy Outback	All	2,000	b
Legacy Outback Wagon	All	2,400	

**a** = Manual Transmission; **b** = Automatic Transmission;

### TOYOTA

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
4 Runner RWD/AWD	3.4L V-6	5,000	
4 Runner RWD	4.7L V-8	7,300	
4 Runner 4WD	4.7L V-8	7,000	
Camry/Avalon	All	2,000	
Land Cruiser	4.7L V-8	6,500	
Sienna	3.3L V-6	3,500	a
Tacoma	All I-4	3,500	
Tacoma	3.4 V-6	5,000	b
Sequoia RWD	4.7L V-8	6,500	
Sequoia 4WD		6,200	
Highlander	All	2,500	
Tundra Reg Cab RWD	3.4L V-6	5,000	
Tundra Access Cab RWD/4WD	3.4L V-6	4,800	
Tundra Reg Cab 4WD	4.7L V-8	7,200	a

Tundra Access Cab RWD/4WD	4.7L V-8	7,100/6,900	a
Tundra Double Cab RWD/4WD	4.7L V-8	6,800/6,500	a

**a** = Towing package required; **b** = With towing package; 3,500 lb without;

### VOLKSWAGEN

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
Eurovan	2.8L V-6	4,400	a
Touareg	All	7,716	b

**a** = Deduct 2,200 for unbraked trailers; **b** = Trailer brakes required;

### VOLVO

MODEL	ENGINE	TOW LIMIT (lb)	NOTES
XC70 Cross Country	2.5L I-5 TCI	3,300	
XC90 AWD	All	4,960	
XC90RWD	All	3,970	
S40/V40	1.9L I-4 TCI	2,000	
S60 R/V70R	2.5L I-5 TCI	3,300	

**Ref.: TRAILER LIFE**