

# 2008 TOW RATINGS



New tow vehicles have never been more capable. Here's a look at '08's hottest rides  
> BY CHRIS HEMER

Ford F-350 Super Duty Dually

A few years ago, a Detroit engineer told us, "Tow ratings can't go much higher — drivetrains won't take it." Obviously our friend underestimated manufacturers' ability to push the envelope. Today's tow vehicles are more capable than ever.

You've likely noticed that  $\frac{3}{4}$ - and 1-ton trucks are getting bigger. As in "massive." Consider Ford's new Super Duty with its 6.4L, twin-turbo Power Stroke diesel; GM's much anticipated heavy-duty lineup, with an available 6.6L Duramax diesel; and Dodge's powerful new 6.7L Cummins.

Half-ton trucks will improve in 2008, as well. Dodge Rams feature a new 4.7L gas V-8 that is more powerful and fuel-efficient than its predecessor. Ford's popular  $\frac{1}{2}$ -ton is due for a revision next year — but in the meantime, Ford has added an F-150 XL SuperCrew available with either a 5 $\frac{1}{2}$ - or 6 $\frac{1}{2}$ -foot box. GM's Sierra and Silverado now offer an integrated trailer brake control, and Nissan is expanding its Titan line with long-bed versions of its King Cab and Crew Cab models.

Of course, there's a lot happening with SUVs and crossovers for '08. Right on the heels of its redesigned full-size Tundra pickup, Toyota is offering larger Highlander and Highlander Hybrid SUVs, along with a new, eight-passenger Land Cruiser powered by the Tundra's 5.7L V-8.

GM is introducing both Tahoe and Yukon models with its "2-Mode" hybrid system, which is reputed to deliver a 25 percent increase in fuel economy. Created in a partnership between GM, Chrysler and BMW, the 2-Mode system allows the vehicle to be powered by either a 6.0L V-8 (with cylinder-deactivation technology), an electric motor or both. And, it can still tow 6000 pounds. Chrysler is using the same technology in its Chrysler Aspen and Dodge Durango. And yeah, both have Hemis.

Clearly, no matter what boat you plan to tow, there's a vehicle that will do the job. And thanks to increasingly sophisticated fuel saving technologies, your tow rig can also serve as the family vehicle —whether you're going to a mountain lake or the mall. ❄

## KEY TO CHARTS

- (a) Automatic transmission
  - (a4) Automatic transmission, four speed
  - (a5) Automatic transmission, five speed
  - (b) Tow rating for boat trailers only; other ratings apply to travel trailers
  - (c) With sport appearance or max payload packages
  - (m) Manual transmission
  - (n) 3.21 axle ratio
  - (o) 3.23 axle ratio
  - (p) 3.31 axle ratio
  - (q) 3.42 axle ratio
  - (r) 3.55 axle ratio
  - (s) 3.73 axle ratio
  - (t) 3.92 axle ratio
  - (u) 4.10 axle ratio
  - (v) 4.30 axle ratio
  - (w) 4.56 axle ratio
  - (x) Trailer brakes required
  - (y) Toyota 2007 specs, 2008 information not available at presstime
  - (z) Towing package required
- \*Tow ratings can still vary by several hundred pounds depending on trim

level, tire sizing, etc. Always check with dealer or consult owner's manual to determine tow rating of the specific vehicle you are considering.  
DRW: Dual Rear Wheels  
TC: Turbocharged  
TD: Turbodiesel  
SWB: Short Wheel Base  
LWB: Long Wheel Base  
AWD: All Wheel Drive  
CV: Cargo Van  
PV: Passenger Van  
PW: Power Wagon

A forward slash (/) denotes either/or; comma indicates more than one footnote applies.

If there is no transmission listed, vehicle is an automatic.

All tow limits stated in pounds; ratings for pickups that tow fifth-wheel trailers are generally higher than those shown here.

VEHICLE	ENGINE	TOW RATING
<b>ACURA</b>		
MDX	3.7L V6	5000
<b>AUDI</b>		
Q7	3.6L V6	5500
Q7	3.6L V6	6600 (z)
Q7	4.3L V8	5500
Q7	4.3L V8	6600 (z)



Buick Enclave

<b>BMW</b>		
X3 3.0si	3.0L I6	3500
X5	All	6000
<b>BUICK</b>		
Enclave	3.6L V6	4500 (z)
<b>CADILLAC</b>		
Escalade 2WD	6.2L V8	8000
Escalade AWD	6.2L V8	7900
Escalade ESV 2WD	6.2L V8	8000
Escalade ESV AWD	6.2L V8	7900
Escalade EXT AWD	6.2L V8	7400
SRX	3.6L V6	4250 (z)
SRX	4.6L V8	4250 (z)
<b>CHEVROLET/GMC</b>		
Acadia	3.6L V6	4500 (z)
Avalanche 1500 2WD	5.3L V8	7200 (s)
Avalanche 1500 2WD	5.3L V8	8200 (u)
Avalanche 1500 2WD	6.0L V8	8000 (u)
Avalanche 1500 4WD	5.3L V8	7000 (s)
Avalanche 1500 4WD	5.3L V8	8000 (u)
Avalanche 1500 4WD	6.0L V8	7700 (u)
Colorado/Canyon Reg. Cab 2WD	2.9L I4	2400 (m,s)
Colorado/Canyon Reg. Cab 2WD	2.9L I4	3400 (a,s)
Colorado/Canyon Reg. Cab 2WD	3.7L I5	4000 (a,s)
Colorado/Canyon Reg. Cab 4WD	2.9L I4	3000 (a,s)
Colorado/Canyon Reg. Cab 4WD	2.9L I4	2100 (m,s,u)
Colorado/Canyon Reg. Cab 4WD	3.7L I5	4000 (s)
Colorado/Canyon Ext. Cab 2WD	2.9L I4	2200 (m,s)
Colorado/Canyon Ext. Cab 2WD	2.9L I4	3200 (a,s)
Colorado/Canyon Ext. Cab 2WD	3.7L I5	5500 (a,s)
Colorado/Canyon Ext. Cab 2WD	5.3L V8	4000* (a,q)
Colorado/Canyon Ext. Cab 4WD	2.9L I4	2900 (a,s,u)
Colorado/Canyon Ext. Cab 4WD	3.7L I5	5500 (a,s)
Colorado/Canyon Ext. Cab 4WD	5.3L V8	6000 (a,q)
Colorado/Canyon Crew Cab 2WD	2.9L I4	2100 (m,s)
Colorado/Canyon Crew Cab 2WD	2.9L I4	3000 (a,s)
Colorado/Canyon Crew Cab 2WD	3.7L I5	5500 (a,s)
Colorado/Canyon Crew Cab 2WD	5.3L V8	3800* (a,q)
Colorado/Canyon Crew Cab 4WD	3.7L I5	5500 (a,s)
Colorado/Canyon Crew Cab 4WD	5.3L V8	6000 (a,q)
Envoy 2WD	4.2L I6	5300 (q)
Envoy 2WD	4.2L I6	5800 (s)
Envoy 2WD	4.2L I6	6300 (u)
Envoy 2WD	5.3L V8	6100 (q)
Envoy 2WD	5.3L V8	6600 (s)
Envoy 4WD	4.2L I6	5200 (q)
Envoy 4WD	4.2L I6	5700 (s)
Envoy 4WD	4.2L I6	6200 (u)

VEHICLE	ENGINE	TOW RATING
Envoy 4WD	5.3L V8	6000 (q)
Envoy 4WD	5.3L V8	6500 (s)
Equinox	All	3500
Express/Savana 1500 SWB CV 2WD	4.3L V6	4400 (s)
Express/Savana 1500 SWB CV 2WD	5.3L V8	6700 (s)
Express/Savana 1500 SWB CV AWD	5.3L V8	6500 (s)
Express/Savana 1500 SWB PV 2WD	5.3L V8	6300 (s)
Express/Savana 1500 SWB PV AWD	5.3L V8	6000 (s)
Express/Savana 2500 SWB CV 2WD	4.8L V8	6400 (s)
Express/Savana 2500 SWB CV 2WD	4.8L V8	7400 (u)
Express/Savana 2500 SWB CV 2WD	6.0L V8	8400 (s)
Express/Savana 2500 SWB CV 2WD	6.0L V8	10,000 (s)
Express/Savana 2500 SWB CV 2WD	6.6L V8 TD	10,000 (s)
Express/Savana 2500 SWB PV 2WD	6.0L V8	7700 (s)
Express/Savana 2500 LWB CV 2WD	4.8L V8	6100 (s)
Express/Savana 2500 LWB CV 2WD	4.8L V8	7100 (u)
Express/Savana 2500 LWB CV 2WD	6.0L V8	8200 (s)
Express/Savana 2500 LWB CV 2WD	6.0L V8	10,000 (s)
Express/Savana 2500 LWB CV 2WD	6.6L V8 TD	10,000 (s)
Express/Savana 3500 SWB CV 2WD	4.8L V8	6300 (s)
Express/Savana 3500 SWB CV 2WD	4.8L V8	7300 (u)
Express/Savana 3500 SWB CV 2WD	6.0L V8	8400 (s)
Express/Savana 3500 SWB CV 2WD	6.0L V8	10,000 (s)
Express/Savana 3500 SWB CV 2WD	6.6L V8 TD	10,000 (s)
Express/Savana 3500 LWB CV 2WD	4.8L V8	6100 (s)
Express/Savana 3500 LWB CV 2WD	4.8L V8	7100 (u)
Express/Savana 3500 LWB CV 2WD	6.0L V8	8200 (s)
Express/Savana 3500 LWB CV 2WD	6.0L V8	10,000 (s)
Express/Savana 3500 LWB CV 2WD	6.6L V8 TD	10,000 (s)
Express/Savana 3500 LWB CV 2WD	4.8L V8	6100 (s)
Express/Savana 3500 LWB CV 2WD	4.8L V8	7100 (u)
Express/Savana 3500 LWB CV 2WD	6.0L V8	8200 (s)
Express/Savana 3500 LWB CV 2WD	6.0L V8	10,000 (s)
Express/Savana 3500 LWB CV 2WD	6.6L V8 TD	10,000 (s)
Express/Savana 3500 LWB CV 2WD	6.0L V8	7600 (s)
Express/Savana 3500 SWB PV 2WD	6.6L V8 TD	10,000 (s)
Express/Savana 3500 LWB PV 2WD	6.0L V8	7300 (s)
Silverado/Sierra 1500 Reg. Cab 2WD Standard Bed	4.3L V6	4800 (o)
Silverado/Sierra 1500 Reg. Cab 2WD Standard Bed	4.3L V6	5300 (s)
Silverado/Sierra 1500 Reg. Cab 2WD Standard Bed	4.8L V8	5200 (q)
Silverado/Sierra 1500 Reg. Cab 2WD Standard Bed	4.8L V8	7200 (s)
Silverado/Sierra 1500 Reg. Cab 2WD Standard Bed	5.3L V8	7200 (q)
Silverado/Sierra 1500 Reg. Cab 2WD Standard Bed	5.3L V8	8200 (s)
Silverado/Sierra 1500 Reg. Cab 4WD Standard Bed	4.3L V6	5100 (s)
Silverado/Sierra 1500 Reg. Cab 4WD Standard Bed	4.8L V8	5900 (q)
Silverado/Sierra 1500 Reg. Cab 4WD Standard Bed	4.8L V8	7900 (u)
Silverado/Sierra 1500 Reg. Cab 4WD Standard Bed	5.3L V8	7900 (s)
Silverado/Sierra 1500 Reg. Cab 4WD Standard Bed	5.3L V8	8900 (u)
Silverado/Sierra 1500 Reg. Cab 2WD Long Bed	4.3L V6	4700 (o)
Silverado/Sierra 1500 Reg. Cab 2WD Long Bed	4.3L V6	5200 (s)
Silverado/Sierra 1500 Reg. Cab 2WD Long Bed	4.8L V8	5100 (o)
Silverado/Sierra 1500 Reg. Cab 2WD Long Bed	4.8L V8	7100 (s)
Silverado/Sierra 1500 Reg. Cab 2WD Long Bed	5.3L V8	7000 (q)
Silverado/Sierra 1500 Reg. Cab 2WD Long Bed	5.3L V8	8000 (s)
Silverado/Sierra 1500 Reg. Cab 4WD Long Bed	4.3L V6	4900 (s)
Silverado/Sierra 1500 Reg. Cab 4WD Long Bed	4.8L V8	5900 (q)
Silverado/Sierra 1500 Reg. Cab 4WD Long Bed	4.8L V8	7900 (u)
Silverado/Sierra 1500 Reg. Cab 4WD Long Bed	5.3L V8	7900 (s)
Silverado/Sierra 1500 Reg. Cab 4WD Long Bed	5.3L V8	8900 (u)
Silverado/Sierra 1500 Ext. Cab 2WD Short Bed	4.3L V6	4400 (o)
Silverado/Sierra 1500 Ext. Cab 2WD Short Bed	4.3L V6	4900 (s)
Silverado/Sierra 1500 Ext. Cab 2WD Short Bed	4.8L V8	4800 (o)
Silverado/Sierra 1500 Ext. Cab 2WD Short Bed	4.8L V8	6800 (s)
Silverado/Sierra 1500 Ext. Cab 2WD Short Bed	5.3L V8	6800* (s)
Silverado/Sierra 1500 Ext. Cab 2WD Short Bed	6.0L V8	8800 (s)
Silverado/Sierra 1500 Ext. Cab 4WD Short Bed	4.8L V8	5500 (q)
Silverado/Sierra 1500 Ext. Cab 4WD Short Bed	4.8L V8	7500 (u)
Silverado/Sierra 1500 Ext. Cab 4WD Short Bed	5.3L V8	7500 (s)
Silverado/Sierra 1500 Ext. Cab 4WD Short Bed	5.3L V8	8500 (u)
Silverado/Sierra 1500 Ext. Cab 4WD Short Bed	6.0L V8	8500 (s)
Silverado/Sierra 1500 Ext. Cab 2WD Standard Bed	4.3L V6	4300 (o)
Silverado/Sierra 1500 Ext. Cab 2WD Standard Bed	4.3L V6	4800 (s)
Silverado/Sierra 1500 Ext. Cab 2WD Standard Bed	4.8L V8	4700 (o)
Silverado/Sierra 1500 Ext. Cab 2WD Standard Bed	4.8L V8	6700 (s)
Silverado/Sierra 1500 Ext. Cab 2WD Standard Bed	5.3L V8	6700 (q)
Silverado/Sierra 1500 Ext. Cab 2WD Standard Bed	5.3L V8	7700 (s)
Silverado/Sierra 1500 Ext. Cab 2WD Standard Bed	6.0L V8	8800 (s)
Silverado/Sierra 1500 Ext. Cab 2WD Standard Bed	6.0L V8	10,200 (s,z)
Silverado/Sierra 1500 Ext. Cab 4WD Standard Bed	4.8L V8	5500 (s)
Silverado/Sierra 1500 Ext. Cab 4WD Standard Bed	4.8L V8	7500 (u)
Silverado/Sierra 1500 Ext. Cab 4WD Standard Bed	5.3L V8	7500 (s)
Silverado/Sierra 1500 Ext. Cab 4WD Standard Bed	5.3L V8	8500 (u)
Silverado/Sierra 1500 Ext. Cab 4WD Standard Bed	6.0L V8	8500 (s)
Silverado/Sierra 1500 Ext. Cab 4WD Standard Bed	6.0L V8	10,500 (u,z)
Silverado/Sierra 1500 Ext. Cab 2WD Long Bed	5.3L V8	6500 (q)
Silverado/Sierra 1500 Ext. Cab 2WD Long Bed	5.3L V8	7500 (s)
Silverado/Sierra 1500 Ext. Cab 4WD Long Bed	5.3L V8	7300 (s)
Silverado/Sierra 1500 Ext. Cab 4WD Long Bed	5.3L V8	8300 (u)
Silverado/Sierra 1500 Crew Cab 2WD Short Bed	4.8L V8	4600 (o)





Tahoe Hybrid

VEHICLE	ENGINE	TOW RATING
Silverado/Sierra 1500 Crew Cab 2WD Short Bed	4.8L V8	6600 (s)
Silverado/Sierra 1500 Crew Cab 2WD Short Bed	5.3L V8	6600 (q)
Silverado/Sierra 1500 Crew Cab 2WD Short Bed	5.3L V8	7600 (s)
Silverado/Sierra 1500 Crew Cab 2WD Short Bed	6.0L V8	8700 (s)
Silverado/Sierra 1500 Crew Cab 2WD Short Bed	6.0L V8	10,200 (s,z)
Silverado/Sierra 1500 Crew Cab 2WD Short Bed	6.2L V8	8600 (s)
Silverado/Sierra 1500 Crew Cab 4WD Short Bed	4.8L V8	5400 (q)
Silverado/Sierra 1500 Crew Cab 4WD Short Bed	4.8L V8	7400 (u)
Silverado/Sierra 1500 Crew Cab 4WD Short Bed	5.3L V8	7500 (s)
Silverado/Sierra 1500 Crew Cab 4WD Short Bed	5.3L V8	8500 (u)
Silverado/Sierra 1500 Crew Cab 4WD Short Bed	6.0L V8	8400 (s)
Silverado/Sierra 1500 Crew Cab 4WD Short Bed	6.0L V8	10,500 (u,z)
Silverado/Sierra 1500 Crew Cab 4WD Short Bed	6.2L V8	8400 (s)
Silverado/Sierra 2500 Reg. Cab 2WD Long Bed	6.0L V8	10,400 (s)
Silverado/Sierra 2500 Reg. Cab 2WD Long Bed	6.0L V8	12,900 (u)
Silverado/Sierra 2500 Reg. Cab 2WD Long Bed	6.6L V8 TD	15,800 (s)
Silverado/Sierra 2500 Reg. Cab 4WD Long Bed	6.0L V8	10,200 (s)
Silverado/Sierra 2500 Reg. Cab 4WD Long Bed	6.0L V8	12,700 (u)
Silverado/Sierra 2500 Reg. Cab 4WD Long Bed	6.6L V8 TD	15,500 (s)
Silverado/Sierra 2500 Ext. Cab 2WD Standard Bed	6.0L V8	10,200 (s)
Silverado/Sierra 2500 Ext. Cab 2WD Standard Bed	6.0L V8	12,700 (u)
Silverado/Sierra 2500 Ext. Cab 2WD Standard Bed	6.6L V8 TD	15,400 (s)
Silverado/Sierra 2500 Ext. Cab 4WD Standard Bed	6.0L V8	9900 (s)
Silverado/Sierra 2500 Ext. Cab 4WD Standard Bed	6.0L V8	12,400 (u)
Silverado/Sierra 2500 Ext. Cab 4WD Standard Bed	6.6L V8 TD	14,300 (s)
Silverado/Sierra 2500 Ext. Cab 2WD Long Bed	6.0L V8	10,000 (s)
Silverado/Sierra 2500 Ext. Cab 2WD Long Bed	6.0L V8	12,500 (u)
Silverado/Sierra 2500 Ext. Cab 2WD Long Bed	6.6L V8 TD	15,000 (s)
Silverado/Sierra 2500 Ext. Cab 4WD Long Bed	6.0L V8	9700 (s)
Silverado/Sierra 2500 Ext. Cab 4WD Long Bed	6.0L V8	12,200 (u)
Silverado/Sierra 2500 Ext. Cab 4WD Long Bed	6.6L V8 TD	13,400 (s)
Silverado/Sierra 2500 Crew Cab 2WD Standard Bed	6.0L V8	10,000 (s)
Silverado/Sierra 2500 Crew Cab 2WD Standard Bed	6.0L V8	12,900 (u)
Silverado/Sierra 2500 Crew Cab 2WD Standard Bed	6.6L V8 TD	15,200 (s)
Silverado/Sierra 2500 Crew Cab 4WD Standard Bed	6.0L V8	9900 (s)
Silverado/Sierra 2500 Crew Cab 4WD Standard Bed	6.0L V8	12,400 (u)
Silverado/Sierra 2500 Crew Cab 4WD Standard Bed	6.6L V8 TD	13,600 (s)
Silverado/Sierra 2500 Crew Cab 2WD Long Bed	6.0L V8	9900 (s)
Silverado/Sierra 2500 Crew Cab 2WD Long Bed	6.0L V8	12,400 (u)
Silverado/Sierra 2500 Crew Cab 4WD Long Bed	6.6L V8 TD	14,400 (s)
Silverado/Sierra 2500 Crew Cab 4WD Long Bed	6.0L V8	9600 (s)
Silverado/Sierra 2500 Crew Cab 4WD Long Bed	6.0L V8	12,100 (u)
Silverado/Sierra 2500 Crew Cab 4WD Long Bed	6.6L V8 TD	12,500 (s)
Silverado/Sierra 3500 Reg. Cab 2WD	6.0L V8	10,100 (s)
Silverado/Sierra 3500 Reg. Cab 2WD	6.0L V8	12,600 (u)
Silverado/Sierra 3500 Reg. Cab 4WD	6.0L V8	9900 (s)
Silverado/Sierra 3500 Reg. Cab 4WD	6.0L V8	12,400 (u)
Silverado/Sierra 3500 Reg. Cab 4WD	6.6L V8 TD	15,300 (s)
Silverado/Sierra 3500 Reg. Cab 4WD DRW	6.0L V8	9700 (s)
Silverado/Sierra 3500 Reg. Cab 4WD DRW	6.0L V8	12,200 (u)
Silverado/Sierra 3500 Reg. Cab 4WD DRW	6.6L V8 TD	16,500 (s)
Silverado/Sierra 3500 Ext. Cab 2WD	6.0L V8	9700 (s)
Silverado/Sierra 3500 Ext. Cab 2WD	6.0L V8	12,200 (u)
Silverado/Sierra 3500 Ext. Cab 2WD	6.6L V8 TD	15,100 (s)
Silverado/Sierra 3500 Ext. Cab 2WD DRW	6.0L V8	9500 (s)
Silverado/Sierra 3500 Ext. Cab 2WD DRW	6.0L V8	12,000 (u)
Silverado/Sierra 3500 Ext. Cab 4WD	6.6L V8 TD	14,900 (s)
Silverado/Sierra 3500 Ext. Cab 4WD	6.0L V8	9200 (s)
Silverado/Sierra 3500 Ext. Cab 4WD DRW	6.0L V8	11,700 (u)
Silverado/Sierra 3500 Ext. Cab 4WD DRW	6.6L V8 TD	16,000 (s)
Silverado/Sierra 3500 Crew Cab 2WD	6.0L V8	9600 (s)

VEHICLE	ENGINE	TOW RATING
Silverado/Sierra 3500 Crew Cab 2WD	6.0L V8	12,100 (u)
Silverado/Sierra 3500 Crew Cab 2WD	6.6L V8 TD	14,900 (s)
Silverado/Sierra 3500 Crew Cab 2WD DRW	6.0L V8	9300 (s)
Silverado/Sierra 3500 Crew Cab 2WD DRW	6.0L V8	11,800 (u)
Silverado/Sierra 3500 Crew Cab 2WD DRW	6.6L V8 TD	16,200 (s)
Silverado/Sierra 3500 Crew Cab 4WD	6.0L V8	9300 (s)
Silverado/Sierra 3500 Crew Cab 4WD	6.0L V8	11,800 (u)
Silverado/Sierra 3500 Crew Cab 4WD	6.6L V8 TD	14,600 (s)
Silverado/Sierra 3500 Crew Cab 4WD DRW	6.0L V8	9100 (s)
Silverado/Sierra 3500 Crew Cab 4WD DRW	6.0L V8	11,600 (u)
Silverado/Sierra 3500 Crew Cab 4WD DRW	6.6L V8 TD	15,900 (s)
Suburban/Yukon XL 1500 2WD	5.3L V8	7100 (s)
Suburban/Yukon XL 1500 2WD	5.3L V8	8100 (u)
Suburban/Yukon XL 1500 2WD	6.0L V8	8100 (u)
Suburban/Yukon XL 1500 4WD	5.3L V8	7000 (s)
Suburban/Yukon XL 1500 4WD	5.3L V8	8000 (u)
Suburban/Yukon XL 1500 4WD	6.0L V8	8000 (u)
Suburban/Yukon XL 2500 2WD	6.0L V8	9700
Suburban/Yukon XL 2500 4WD	6.0L V8	9300
Tahoe/Yukon 1500 2WD	4.8L V8	4500 (o)
Tahoe/Yukon 1500 2WD	4.8L V8	6500 (s)
Tahoe/Yukon 1500 2WD	5.3L V8	6500 (o)
Tahoe/Yukon 1500 2WD	5.3L V8	7500 (s)
Tahoe/Yukon 1500 Hybrid 2WD	6.0L V8	6200
Tahoe/Yukon 1500 4WD	5.3L V8	7200 (s)
Tahoe/Yukon 1500 4WD	5.3L V8	8200 (u)
Tahoe/Yukon 1500 Hybrid 4WD	6.0L V8	6000
Yukon Denali 1500 AWD	6.2L V8	7900 (q)
Yukon Denali 1500 2WD	6.2L V8	8000 (q)
Yukon Denali XL 1500 AWD	6.2L V8	7900 (q)
Yukon Denali XL 1500 2WD	6.2L V8	8000 (q)
TrailBlazer 2WD	4.2L I6	5400 (q)
TrailBlazer 2WD	4.2L I6	5900 (s)
TrailBlazer 2WD	4.2L I6	6400 (u)
TrailBlazer 2WD	5.3L V8	6300 (q)
TrailBlazer 2WD	5.3L V8	6800 (s)
TrailBlazer 4WD	4.2L I6	5200 (q)
TrailBlazer 4WD	4.2L I6	5700 (s)
TrailBlazer 4WD	4.2L I6	6200 (u)
TrailBlazer 4WD	5.3L V8	6100 (q)
TrailBlazer 4WD	5.3L V8	6600 (s)
TrailBlazer SS 2WD	6.0L V8	6800 (u)
TrailBlazer SS AWD	6.0L V8	6600 (u)
Uplander	3.9L V6	3500 (z)
<b>CHRYSLER</b>		
300	All	2000
Aspen Limited 2WD	4.7L V8	5950 (r)
Aspen Limited 2WD	5.7L V8	7400 (r)
Aspen Limited 2WD	5.7L V8	8900 (t)
Aspen Limited 4WD	4.7L V8	5750 (r)
Aspen Limited 4WD	5.7L V8	7200 (r)
Aspen Limited 4WD	5.7L V8	8700 (t)
Pacifica 2WD/AWD	4.0L V6	2600
Town & Country	All	3600 (z)
<b>DODGE</b>		
Caliber	2.4L I4	2000 (z)
Charger	All	2000
Dakota Ext. Cab 2WD	3.7L V6	3250 (m,n)
Dakota Ext. Cab 2WD	3.7L V6	4550 (a4,r)
Dakota Ext. Cab 2WD	3.7L V6	4850 (a4,t)
Dakota Ext. Cab 2WD	4.7L V8	5850 (a5,r)
Dakota Ext. Cab 2WD	4.7L V8	7050 (a5,t)
Dakota Ext. Cab 4WD	3.7L V6	3850 (m,r)
Dakota Ext. Cab 4WD	3.7L V6	4650 (a4,t)
Dakota Ext. Cab 4WD	4.7L V8	5600 (a5,r)
Dakota Ext. Cab 4WD	4.7L V8	6800 (a5,t)
Dakota Crew Cab 2WD	3.7L V6	3150 (m,n)
Dakota Crew Cab 2WD	3.7L V6	4450 (a4,r)
Dakota Crew Cab 2WD	3.7L V6	4750 (a4,t)
Dakota Crew Cab 4WD	3.7L V6	3800 (m,r)
Dakota Crew Cab 4WD	3.7L V6	4600 (a4,t)
Dakota Crew Cab 4WD	4.7L V8	5550 (a5,r)
Durango 2WD	3.7L V6	3850 (a4,t)
Durango 2WD	4.7L V8	6050 (a5,r)
Durango 2WD	5.7L V8	7400 (a5,r)
Durango 2WD	5.7L V8	8900 (a5,t)
Durango 4WD	4.7L V8	5900 (a5,r)
Durango 4WD	5.7L V8	7200 (a5,r)
Durango 4WD	5.7L V8	8700 (a5,t)
Grand Caravan	All	3600 (z)
Magnum	3.5L V6	2000
Magnum	5.7L V8	2000

VEHICLE	ENGINE	TOW RATING	VEHICLE	ENGINE	TOW RATING
Magnum	5.7L V8	3800 (z)	Ram 2500 Quad Cab 4WD Short Bed	5.7L V8	10,850 (a,u)
Magnum SRT8	6.1L V8	3800	Ram 2500 Quad Cab PW 4WD Short Bed	5.7L V8	10,550 (m,w)
Ram 1500 Reg. Cab 2WD Short Bed	3.7L V6	3300 (m,n,r)	Ram 2500 Quad Cab PW 4WD Short Bed	5.7L V8	10,600 (a,w)
Ram 1500 Reg. Cab 2WD Short Bed	3.7L V6	3800 (a,r,t)	Ram 2500 Quad Cab 4WD Short Bed	6.7L I6 TD	11,850 (m,q)
Ram 1500 Reg. Cab 2WD Short Bed	4.7L V8	4250 (m,n)	Ram 2500 Quad Cab 4WD Short Bed	6.7L I6 TD	12,850 (m,s)
Ram 1500 Reg. Cab 2WD Short Bed	4.7L V8	5250 (m,r)	Ram 2500 Quad Cab 4WD Short Bed	6.7L I6 TD	12,900 (a,s,u)
Ram 1500 Reg. Cab 2WD Short Bed	4.7L V8	5750 (m,t)	Ram 2500 Quad Cab 2WD Long Bed	5.7L V8	9150 (m,s)
Ram 1500 Reg. Cab 2WD Short Bed	4.7L V8	5650 (a,n)	Ram 2500 Quad Cab 2WD Long Bed	5.7L V8	11,150 (m,u)
Ram 1500 Reg. Cab 2WD Short Bed	4.7L V8	6650 (a,r)	Ram 2500 Quad Cab 2WD Long Bed	5.7L V8	9200 (a,s)
Ram 1500 Reg. Cab 2WD Short Bed	4.7L V8	7650 (a,t)	Ram 2500 Quad Cab 2WD Long Bed	5.7L V8	11,200 (a,u)
Ram 1500 Reg. Cab 2WD Short Bed	5.7L V8	8100 (a,c,z)	Ram 2500 Quad Cab 2WD Long Bed	6.7L I6 TD	12,200 (m,q)
Ram 1500 Reg. Cab 2WD Short Bed	5.7L V8	9100 (a,d,z)	Ram 2500 Quad Cab 2WD Long Bed	6.7L I6 TD	13,200 (m,s)
Ram 1500 Reg. Cab 4WD Short Bed	4.7L V8	4450 (m,r)	Ram 2500 Quad Cab 2WD Long Bed	6.7L I6 TD	13,250 (a,s,u)
Ram 1500 Reg. Cab 4WD Short Bed	4.7L V8	4450* (m,t)	Ram 2500 Quad Cab 4WD Long Bed	5.7L V8	8650 (m,s)
Ram 1500 Reg. Cab 4WD Short Bed	4.7L V8	6400 (a,r)	Ram 2500 Quad Cab 4WD Long Bed	5.7L V8	10,650 (m,u)
Ram 1500 Reg. Cab 4WD Short Bed	4.7L V8	6400* (a,t)	Ram 2500 Quad Cab 4WD Long Bed	5.7L V8	8750 (a,s)
Ram 1500 Reg. Cab 4WD Short Bed	5.7L V8	7900 (a,r,z)	Ram 2500 Quad Cab 4WD Long Bed	5.7L V8	10,750 (a,u)
Ram 1500 Reg. Cab 4WD Short Bed	5.7L V8	7900* (a,t,z)	Ram 2500 Quad Cab 4WD Long Bed	6.7L I6 TD	11,700 (m,q)
Ram 1500 Reg. Cab 2WD Long Bed	3.7L V6	3050 (m,n,r)	Ram 2500 Quad Cab 4WD Long Bed	6.7L I6 TD	12,700 (m,s)
Ram 1500 Reg. Cab 2WD Long Bed	3.7L V6	3550 (a,r,t)	Ram 2500 Quad Cab 4WD Long Bed	6.7L I6 TD	12,800 (a,s,u)
Ram 1500 Reg. Cab 2WD Long Bed	4.7L V8	3950 (m,n)	Ram 2500 Mega Cab 2WD	5.7L V8	8800 (a,s)
Ram 1500 Reg. Cab 2WD Long Bed	4.7L V8	4950 (m,r)	Ram 2500 Mega Cab 2WD	5.7L V8	10,800 (a,u)
Ram 1500 Reg. Cab 2WD Long Bed	4.7L V8	5450 (m,t)	Ram 2500 Mega Cab 2WD	6.7L I6 TD	11,800 (m,q)
Ram 1500 Reg. Cab 2WD Long Bed	4.7L V8	5450 (a,n)	Ram 2500 Mega Cab 2WD	6.7L I6 TD	12,800 (m,s)
Ram 1500 Reg. Cab 2WD Long Bed	4.7L V8	6450 (a,r)	Ram 2500 Mega Cab 2WD	6.7L I6 TD	12,850 (a,s,u)
Ram 1500 Reg. Cab 2WD Long Bed	4.7L V8	7450 (a,t)	Ram 2500 Mega Cab 4WD	5.7L V8	8400 (a,s)
Ram 1500 Reg. Cab 2WD Long Bed	5.7L V8	7850 (a,r,z)	Ram 2500 Mega Cab 4WD	5.7L V8	10,400 (a,u)
Ram 1500 Reg. Cab 2WD Long Bed	5.7L V8	8850 (a,t,z)	Ram 2500 Mega Cab 4WD	6.7L I6 TD	11,400 (m,q)
Ram 1500 Reg. Cab 4WD Long Bed	4.7L V8	4250 (m,r)	Ram 2500 Mega Cab 4WD	6.7L I6 TD	12,400 (m,s)
Ram 1500 Reg. Cab 4WD Long Bed	4.7L V8	4250* (m,t)	Ram 2500 Mega Cab 4WD	6.7L I6 TD	12,450 (a,s,u)
Ram 1500 Reg. Cab 4WD Long Bed	4.7L V8	6200 (a,r)	Ram 3500 Reg Cab 2WD Long Bed DRW	5.7L V8	11,000 (m,u)
Ram 1500 Reg. Cab 4WD Long Bed	4.7L V8	6200* (a,t)	Ram 3500 Reg Cab 2WD Long Bed DRW	5.7L V8	11,050 (a,u)
Ram 1500 Reg. Cab 4WD Long Bed	5.7L V8	7650 (a,r,z)	Ram 3500 Reg Cab 2WD Long Bed DRW	6.7L I6 TD	12,050 (m,q)
Ram 1500 Reg. Cab 4WD Long Bed	5.7L V8	7650* (a,t,z)	Ram 3500 Reg Cab 2WD Long Bed DRW	6.7L I6 TD	14,050 (m,s)
Ram 1500 Quad Cab 2WD Short Bed	3.7L V6	2950 (m,n,r)	Ram 3500 Reg Cab 2WD Long Bed DRW	6.7L I6 TD	14,150 (a,s)
Ram 1500 Quad Cab 2WD Short Bed	3.7L V6	3450 (a,r,t)	Ram 3500 Reg Cab 2WD Long Bed DRW	6.7L I6 TD	16,150 (a,u)
Ram 1500 Quad Cab 2WD Short Bed	4.7L V8	3850 (m,n)	Ram 3500 Reg Cab 4WD Long Bed DRW	5.7L V8	10,450 (m,u)
Ram 1500 Quad Cab 2WD Short Bed	4.7L V8	4450 (m,r)	Ram 3500 Reg Cab 4WD Long Bed DRW	5.7L V8	10,500 (a,u)
Ram 1500 Quad Cab 2WD Short Bed	4.7L V8	5350 (m,t)	Ram 3500 Reg Cab 4WD Long Bed DRW	6.7L I6 TD	11,700 (m,q)
Ram 1500 Quad Cab 2WD Short Bed	4.7L V8	5300 (a,n)	Ram 3500 Reg Cab 4WD Long Bed DRW	6.7L I6 TD	13,700 (m,s)
Ram 1500 Quad Cab 2WD Short Bed	4.7L V8	6300 (a,r)	Ram 3500 Reg Cab 4WD Long Bed DRW	6.7L I6 TD	13,750 (a,s)
Ram 1500 Quad Cab 2WD Short Bed	4.7L V8	7300 (a,t)	Ram 3500 Reg Cab 4WD Long Bed DRW	6.7L I6 TD	16,750 (a,u)
Ram 1500 Quad Cab 2WD Short Bed	5.7L V8	7750 (a,r,z)	Ram 3500 Quad Cab 2WD Short Bed	6.7L I6 TD	12,300 (m,q)
Ram 1500 Quad Cab 2WD Short Bed	5.7L V8	8750 (a,t,z)	Ram 3500 Quad Cab 2WD Short Bed	6.7L I6 TD	14,300 (m,s)
Ram 1500 Quad Cab 4WD Short Bed	4.7L V8	4100 (m,r)	Ram 3500 Quad Cab 2WD Short Bed	6.7L I6 TD	14,350 (a,s)
Ram 1500 Quad Cab 4WD Short Bed	4.7L V8	4100* (m,t)	Ram 3500 Quad Cab 2WD Short Bed	6.7L I6 TD	16,350 (a,u)
Ram 1500 Quad Cab 4WD Short Bed	4.7L V8	6050 (a,r)	Ram 3500 Quad Cab 4WD Short Bed	6.7L I6 TD	11,850 (m,q)
Ram 1500 Quad Cab 4WD Short Bed	4.7L V8	6050* (a,t)	Ram 3500 Quad Cab 4WD Short Bed	6.7L I6 TD	13,850 (m,s)
Ram 1500 Quad Cab 4WD Short Bed	5.7L V8	7500 (a,r,z)	Ram 3500 Quad Cab 4WD Short Bed	6.7L I6 TD	13,900 (a,s)
Ram 1500 Quad Cab 4WD Short Bed	5.7L V8	7500* (a,t,z)	Ram 3500 Quad Cab 4WD Short Bed	6.7L I6 TD	16,900 (a,u)
Ram 1500 Quad Cab 2WD Long Bed	4.7L V8	6100 (a,r)	Ram 3500 Quad Cab 2WD Long Bed	6.7L I6 TD	12,150 (m,q)
Ram 1500 Quad Cab 2WD Long Bed	4.7L V8	7100 (a,t)	Ram 3500 Quad Cab 2WD Long Bed	6.7L I6 TD	14,150 (m,s)
Ram 1500 Quad Cab 2WD Long Bed	5.7L V8	7550 (a,r,z)	Ram 3500 Quad Cab 2WD Long Bed	6.7L I6 TD	14,200 (a,s)
Ram 1500 Quad Cab 2WD Long Bed	5.7L V8	8550 (a,t,z)	Ram 3500 Quad Cab 2WD Long Bed	6.7L I6 TD	16,200 (a,u)
Ram 1500 Quad Cab 4WD Long Bed	4.7L V8	6800 (a,t)	Ram 3500 Quad Cab 4WD Long Bed	6.7L I6 TD	11,700 (m,q)
Ram 1500 Quad Cab 4WD Long Bed	5.7L V8	8300 (a,t,z)	Ram 3500 Quad Cab 4WD Long Bed	6.7L I6 TD	13,700 (m,s)
Ram 1500 Mega Cab 2WD	5.7L V8	7900 (a,r,z)	Ram 3500 Quad Cab 4WD Long Bed	6.7L I6 TD	13,800 (a,s)
Ram 1500 Mega Cab 2WD	5.7L V8	8900 (a,u)	Ram 3500 Quad Cab 4WD Long Bed	6.7L I6 TD	16,800 (a,u)
Ram 1500 Mega Cab 4WD	5.7L V8	7450 (a,s)			
Ram 1500 Mega Cab 4WD	5.7L V8	8450 (a,u)			
Ram 2500 Reg. Cab 2WD Long Bed	5.7L V8	9450 (m,s)			
Ram 2500 Reg. Cab 2WD Long Bed	5.7L V8	11,450 (m,u)			
Ram 2500 Reg. Cab 2WD Long Bed	5.7L V8	9500 (a,s)			
Ram 2500 Reg. Cab 2WD Long Bed	5.7L V8	11,500 (a,u)			
Ram 2500 Reg. Cab 2WD Long Bed	6.7L I6 TD	12,450 (m,q)			
Ram 2500 Reg. Cab 2WD Long Bed	6.7L I6 TD	13,450 (m,s)			
Ram 2500 Reg. Cab 2WD Long Bed	6.7L I6 TD	13,500 (a,s,u)			
Ram 2500 Reg. Cab 4WD Long Bed	5.7L V8	8950 (m,s)			
Ram 2500 Reg. Cab 4WD Long Bed	5.7L V8	10,950 (m,u)			
Ram 2500 Reg. Cab 4WD Long Bed	5.7L V8	9000 (a,s)			
Ram 2500 Reg. Cab 4WD Long Bed	5.7L V8	11,000 (a,u)			
Ram 2500 Reg. Cab 4WD Long Bed	6.7L I6 TD	12,050 (m,q)			
Ram 2500 Reg. Cab 4WD Long Bed	6.7L I6 TD	13,050 (m,s)			
Ram 2500 Reg. Cab 4WD Long Bed	6.7L I6 TD	13,100 (a,s,u)			
Ram 2500 Quad Cab 2WD Short Bed	5.7L V8	9250 (m,s)			
Ram 2500 Quad Cab 2WD Short Bed	5.7L V8	11,250 (m,u)			
Ram 2500 Quad Cab 2WD Short Bed	5.7L V8	9300 (a,s)			
Ram 2500 Quad Cab 2WD Short Bed	5.7L V8	11,300 (a,u)			
Ram 2500 Quad Cab 2WD Short Bed	6.7L I6 TD	12,300 (m,q)			
Ram 2500 Quad Cab 2WD Short Bed	6.7L I6 TD	13,300 (m,s)			
Ram 2500 Quad Cab 2WD Short Bed	6.7L I6 TD	13,350 (a,s,u)			
Ram 2500 Quad Cab 4WD Short Bed	5.7L V8	8800 (m,s)			
Ram 2500 Quad Cab 4WD Short Bed	5.7L V8	10,800 (m,u)			
Ram 2500 Quad Cab 4WD Short Bed	5.7L V8	8850 (a,s)			



Dodge Durango

# TowRatings>

SPECIAL SECTION: 2008 TOW RATINGS

VEHICLE	ENGINE	TOW RATING	VEHICLE	ENGINE	TOW RATING
Ram 3500 Quad Cab 2WD Long Bed DRW	5.7L V8	10,700 (m,u)	Expedition 2WD	5.4L V8	6000 (p)
Ram 3500 Quad Cab 2WD Long Bed DRW	5.7L V8	10,750 (a,u)	Expedition 2WD	5.4L V8	9200 (z)
Ram 3500 Quad Cab 2WD Long Bed DRW	6.7L I6 TD	11,750 (m,q)	Expedition 4WD	5.4L V8	6000 (s)
Ram 3500 Quad Cab 2WD Long Bed DRW	6.7L I6 TD	13,750 (m,s)	Expedition 4WD	5.4L V8	9000 (s,z)
Ram 3500 Quad Cab 2WD Long Bed DRW	6.7L I6 TD	13,850 (a,s)	Expedition EL 2WD	5.4L V8	6000 (s)
Ram 3500 Quad Cab 2WD Long Bed DRW	6.7L I6 TD	15,850 (a,u)	Expedition EL 2WD	5.4L V8	9000 (s,z)
Ram 3500 Quad Cab 4WD Long Bed DRW	5.7L V8	10,300 (m,u)	Expedition EL 4WD	5.4L V8	6000 (s)
Ram 3500 Quad Cab 4WD Long Bed DRW	5.7L V8	10,400 (a,u)	Expedition EL 4WD	5.4L V8	8750 (s,z)
Ram 3500 Quad Cab 4WD Long Bed DRW	6.7L I6 TD	11,350 (m,q)	Explorer 2WD	4.0L V6	3500 (r)
Ram 3500 Quad Cab 4WD Long Bed DRW	6.7L I6 TD	13,350 (m,s)	Explorer 2WD	4.0L V6	5395 (s,z)
Ram 3500 Quad Cab 4WD Long Bed DRW	6.7L I6 TD	13,450 (a,s)	Explorer 2WD	4.6L V8	3500 (r)
Ram 3500 Quad Cab 4WD Long Bed DRW	6.7L I6 TD	16,450 (a,u)	Explorer 2WD	4.6L V8	7310 (r,z)
Ram 3500 Mega Cab 2WD	6.7L I6 TD	11,800 (m,q)	Explorer 4WD	4.0L V6	3500 (r)
Ram 3500 Mega Cab 2WD	6.7L I6 TD	13,800 (m,s)	Explorer 4WD	4.0L V6	5225 (s,z)
Ram 3500 Mega Cab 2WD	6.7L I6 TD	13,900 (a,s)	Explorer 4WD	4.6L V8	3500 (r)
Ram 3500 Mega Cab 2WD	6.7L I6 TD	15,900 (a,u)	Explorer 4WD	4.6L V8	7130 (r,z)
Ram 3500 Mega Cab 2WD DRW	6.7L I6 TD	11,450 (m,q)	Sport Trac 2WD	4.0L V6	5260 (s)
Ram 3500 Mega Cab 2WD DRW	6.7L I6 TD	13,450 (m,s)	Sport Trac 2WD	4.6L V8	7160 (r)
Ram 3500 Mega Cab 2WD DRW	6.7L I6 TD	13,550 (a,s)	Sport Trac 4WD	4.0L V6	5090 (s)
Ram 3500 Mega Cab 2WD DRW	6.7L I6 TD	15,550 (a,u)	Sport Trac 4WD	4.6L V8	7000 (r)
Ram 3500 Mega Cab 4WD	6.7L I6 TD	11,400 (m,q)	F-150 Reg. Cab 2WD 6'6" Bed	4.2L V6	2400 (m,p)
Ram 3500 Mega Cab 4WD	6.7L I6 TD	13,400 (m,s)	F-150 Reg. Cab 2WD 6'6" Bed	4.2L V6	3700 (m,r)
Ram 3500 Mega Cab 4WD	6.7L I6 TD	13,500 (a,s)	F-150 Reg. Cab 2WD 6'6" Bed	4.2L V6	5200 (a,r)
Ram 3500 Mega Cab 4WD	6.7L I6 TD	16,500 (a,u)	F-150 Reg. Cab 2WD 6'6" Bed	4.2L V6	5700 (a,s)
Ram 3500 Mega Cab 4WD DRW	6.7L I6 TD	11,050 (m,q)	F-150 Reg. Cab 2WD 6'6" Bed	4.6L V8	6600 (a,r)
Ram 3500 Mega Cab 4WD DRW	6.7L I6 TD	13,050 (m,s)	F-150 Reg. Cab 2WD 6'6" Bed	4.6L V8	7100 (a,s)
Ram 3500 Mega Cab 4WD DRW	6.7L I6 TD	13,100 (a,s)	F-150 Reg. Cab 2WD 6'6" Bed	5.4L V8	8000 (a,r)
Ram 3500 Mega Cab 4WD DRW	6.7L I6 TD	16,100 (a,u)	F-150 Reg. Cab 2WD 6'6" Bed	5.4L V8	8500 (a,s)
Sprinter	All	5000	F-150 Reg. Cab 4WD 6'6" Bed	4.6L V8	6300 (a,r)
<b>FORD</b>			F-150 Reg. Cab 4WD 6'6" Bed	4.6L V8	6800 (a,s)
E-150 Van	4.6L V8	6000 (s)	F-150 Reg. Cab 4WD 6'6" Bed	5.4L V8	7700 (a,r)
E-150 Van	4.6L V8	6500 (u)	F-150 Reg. Cab 4WD 6'6" Bed	5.4L V8	8200 (a,s)
E-150 Van	5.4L V8	6500 (r)	F-150 Reg. Cab 2WD 8' Bed	4.2L V6	2300 (m,p)
E-150 Van	5.4L V8	7500 (s)	F-150 Reg. Cab 2WD 8' Bed	4.2L V6	3600 (m,r)
E-250 Van	4.6L V8	6000 (s)	F-150 Reg. Cab 2WD 8' Bed	4.2L V6	5100 (a,r)
E-250 Van	4.6L V8	6500 (u)	F-150 Reg. Cab 2WD 8' Bed	4.2L V6	5600 (a,s)
E-250 Van	5.4L V8	7400 (s)	F-150 Reg. Cab 2WD 8' Bed	4.6L V8	6700 (a,r)
E-250 Ext. Van	4.6L V8	5900 (s)	F-150 Reg. Cab 2WD 8' Bed	4.6L V8	7200 (a,s)
E-250 Ext. Van	4.6L V8	6400 (u)	F-150 Reg. Cab 2WD 8' Bed	5.4L V8	8900 (a,r)
E-250 Ext. Van	5.4L V8	7400 (s)	F-150 Reg. Cab 2WD 8' Bed	5.4L V8	9800 (a,s)
E-350 Van	5.4L V8	7400 (s/u)	F-150 Reg. Cab 2WD 8' Bed	5.4L V8	9900 (a,d)
E-350 Van	6.8L V10	9200 (s)	F-150 Reg. Cab 2WD 8' Bed	5.4L V8	10,400* (a,u)
E-350 Van	6.8L V10	10,000 (u)	F-150 Reg. Cab 4WD 8' Bed	4.6L V8	6400 (a,r)
E-350 Van	6.0L V8 TD	9600 (r)	F-150 Reg. Cab 4WD 8' Bed	4.6L V8	6900 (a,s)
E-350 Van	6.0L V8 TD	10,000 (u)	F-150 Reg. Cab 4WD 8' Bed	5.4L V8	8600 (a,r)
E-350 Ext. Van	5.4L V8	7200 (s/u)	F-150 Reg. Cab 4WD 8' Bed	5.4L V8	9500 (a,s/u)
E-350 Ext. Van	6.8L V10	9000 (s)	F-150 SuperCab 2WD 5'6" Bed	4.6L V8	6400* (a,r)
E-350 Ext. Van	6.8L V10	10,000 (u)	F-150 SuperCab 2WD 5'6" Bed	4.6L V8	6900* (a,s)
E-350 Ext. Van	6.0L V8 TD	9400 (r)	F-150 SuperCab 2WD 5'6" Bed	5.4L V8	7700* (a,r)
E-350 Ext. Van	6.0L V8 TD	10,000 (u)	F-150 SuperCab 2WD 5'6" Bed	5.4L V8	8200* (a,s)
E-150 Wagon	4.6L V8	6100 (u)	F-150 SuperCab 4WD 5'6" Bed	4.6L V8	6100* (a,r)
E-150 Wagon	5.4L V8	6000 (r)	F-150 SuperCab 4WD 5'6" Bed	4.6L V8	6600* (a,s)
E-150 Wagon	5.4L V8	7000 (s)	F-150 SuperCab 4WD 5'6" Bed	5.4L V8	7400* (a,r)
E-350 Wagon	5.4L V8	6700 (s)	F-150 SuperCab 4WD 5'6" Bed	5.4L V8	7900* (a,s)
E-350 Wagon	6.0L V8 TD	9000 (r)	F-150 SuperCab 2WD 8' Bed	5.4L V8	9500 (a,u)
E-350 Wagon	6.0L V8 TD	10,000 (u)	F-150 SuperCab 4WD 8' Bed	5.4L V8	9300 (a,u)
E-350 Ext. Wagon	5.4L V8	6500 (s)	F-150 SuperCrew 2WD 5'6" Bed	4.6L V8	6400 (a,r)
Edge	3.5L V6	2000	F-150 SuperCrew 2WD 5'6" Bed	4.6L V8	6900 (a,s)
Edge	3.5L V6	3500 (z)	F-150 SuperCrew 2WD 5'6" Bed	5.4L V8	8600 (a,r)
Escape	3.0L V6	3500 (z)	F-150 SuperCrew 2WD 5'6" Bed	5.4L V8	5300* (a,s)
			F-150 SuperCrew 4WD 5'6" Bed	4.6L V8	6600 (a,s)
			F-150 SuperCrew 4WD 5'6" Bed	5.4L V8	8300 (a,r)
			F-150 SuperCrew 4WD 5'6" Bed	5.4L V8	8300 (a,r)
			F-150 SuperCrew 4WD 5'6" Bed	5.4L V8	5100* (a,s)
			F-150 SuperCrew 2WD 6'6" Bed	4.6L V8	6300 (a,r)
			F-150 SuperCrew 2WD 6'6" Bed	4.6L V8	6800 (a,s)
			F-150 SuperCrew 2WD 6'6" Bed	5.4L V8	8500 (a,r)
			F-150 SuperCrew 2WD 6'6" Bed	5.4L V8	9500 (a,s)
			F-150 SuperCrew 4WD 6'6" Bed	4.6L V8	6600 (a,s)
			F-150 SuperCrew 4WD 6'6" Bed	5.4L V8	8200 (a,r)
			F-150 SuperCrew 4WD 6'6" Bed	5.4L V8	9200 (a,s)
			F-250/350 Super Duty Reg. Cab 2WD	5.4L V8	9100 (m,s)
			F-250/350 Super Duty Reg. Cab 2WD	5.4L V8	11,100 (m,u)
			F-250/350 Super Duty Reg. Cab 2WD	6.8L V10	12,500 (m,u/v)
			F-250/350 Super Duty Reg. Cab 2WD	6.4L V8 TD	12,500 (m,s)
			F-250/350 Super Duty Reg. Cab 2WD	5.4L V8	10,100 (a,s)
			F-250/350 Super Duty Reg. Cab 2WD	5.4L V8	12,100 (a,u)
			F-250/350 Super Duty Reg. Cab 2WD	6.8L V10	12,500 (a,u/v)
			F-250/350 Super Duty Reg. Cab 2WD	6.4L V8 TD	12,500 (a,s)
			F-250/350 Super Duty Reg. Cab 4WD	5.4L V8	8600 (m,s)
			F-250/350 Super Duty Reg. Cab 4WD	5.4L V8	10,600 (m,u)
			F-250/350 Super Duty Reg. Cab 4WD	6.8L V10	12,500 (m,u/v)
			F-250/350 Super Duty Reg. Cab 4WD	6.4L V8 TD	12,000 (m,s)
			F-250/350 Super Duty Reg. Cab 4WD	5.4L V8	9600 (a,s)
			F-250/350 Super Duty Reg. Cab 4WD	5.4L V8	11,600 (a,u)
			F-250/350 Super Duty Reg. Cab 4WD	6.8L V10	12,500 (a,u/v)



Ford Power Stroke  
6.4L V-8 Turbodiesel





# TowRatings>

SPECIAL SECTION: 2008 TOW RATINGS

VEHICLE	ENGINE	TOW RATING
Grand Cherokee 2WD	3.0L V6 TD	7400 (s)
Grand Cherokee 2WD	3.7L V6	3500
Grand Cherokee 2WD	4.7L V8	6500 (s)
Grand Cherokee 2WD	5.7L V8	7400 (s)
Grand Cherokee 4WD	3.0L V6 TD	7200 (s)
Grand Cherokee 4WD	3.7L V6	3500
Grand Cherokee 4WD	4.7L V8	6500 (s)
Grand Cherokee 4WD	5.7L V8	7200 (s)
Grand Cherokee SRT8	6.1L V8	3500 (s)
Liberty 2WD	3.7L V6	3500 (r)
Liberty 4WD	3.7L V6	5000 (s)
Wrangler	4.0L I6	2000
Wrangler Unlimited 4-door	3.8L V6	3500 (m,s)
Wrangler Unlimited 4-door	3.8L V6	3500 (a,s)
Wrangler Unlimited Rubicon	3.8L V6	3500 (m,u)
Wrangler Unlimited Rubicon	3.8L V6	3500 (a,u)
<b>KIA</b>		
Sorento	3.3L V6	3500
Sorento	3.8L V6	5000
Sportage	2.7L V6	2000
<b>LAND ROVER</b>		
Land Rover LR2	3.2L I6	3500 (x)
Land Rover LR3	4.4L V8	7716 (x)
Range Rover HSE	4.4L V8	7716 (x)
Range Rover Supercharged	4.2L V8	7716 (x)
Range Rover Sport HSE	4.4L V8	7716 (x)
Range Rover Sport Supercharged	4.2L V8	7716 (x)
<b>LEXUS</b>		
GX470	4.7L V8	6500
LX570	5.7L V8	8500
RX350	3.5L V6	3500
RX400h	3.3L V6	3500
<b>LINCOLN-MERCURY</b>		
Mark LT 2WD Short Bed	5.4L V8	9000
Mark LT 2WD Long Bed	5.4L V8	8900
Mark LT 4WD Short Bed	5.4L V8	8700
Mark LT 4WD Long Bed	5.4L V8	8600
Mariner	3.0L V6	3500 (z)
Mountaineer 5 pass. 2WD	4.0L V6	5295
Mountaineer 5 pass. 2WD	4.6L V8	7220
Mountaineer 5 pass. AWD	4.0L V6	5000
Mountaineer 5 pass. AWD	4.6L V8	7055
Mountaineer 7 pass. 2WD	4.0L V6	5205
Mountaineer 7 pass. 2WD	4.6L V8	7135
Mountaineer 7 pass. AWD	4.0L V6	5000
Mountaineer 7 pass. AWD	4.6L V8	6970
Navigator 2WD	5.4L V8	8950
Navigator 4WD	5.4L V8	8750
Navigator L 2WD	5.4L V8	8850
Navigator L 4WD	5.4L V8	8475
<b>MAZDA</b>		
B-2300 Reg. Cab 2WD	2.3L I4	2260 (a,u)
B-4000 4WD	4.0L V6	3120 (m,u)
B-4000 4WD	4.0L V6	5580 (a,u)
CX7 (all)	2.3L I4 TC	3500 (a)
CX9 (all)	3.7L V6	3500 (a,z)
Tribute	3.0L V6	3500 (a,z)
<b>MERCEDES-BENZ</b>		
G500	5.0L V8	7000
G55 AMG Supercharged	5.4L V8	7000
GL320 CDI	3.0L V6 TD	7500
GL450	4.6L V8	7500
GL550	5.5L V8	7500
ML63 AMG	6.3L V8	7200
ML320 CDI	3.0L V6 TD	7200
ML350	3.5L V6	7200
ML550	5.5L V8	7200
<b>MITSUBISHI</b>		
Outlander 2WD	3.0L V6	2000
Outlander 4WD	3.0L V6	3500
Endeavor	3.8L V6	3500
Raider Ext. Cab 2WD	3.7L V6	2950 (m,n)
Raider Ext. Cab 2WD	3.7L V6	3650 (m,r)
Raider Ext. Cab 2WD	3.7L V6	4150 (a4,n)
Raider Ext. Cab 2WD	3.7L V6	4450 (a4,t)
Raider Ext. Cab 2WD	4.7L V8	5350 (a5,r)
Raider Ext. Cab 2WD	4.7L V8	6450 (a5,t)
Raider Ext. Cab 4WD	3.7L V6	3450 (m,r)

VEHICLE	ENGINE	TOW RATING
Raider Ext. Cab 4WD	3.7L V6	3950 (a4,r)
Raider Ext. Cab 4WD	3.7L V6	4250 (a4,t)
Raider Ext. Cab 4WD	4.7L V8	5250 (a5,r)
Raider Ext. Cab 4WD	4.7L V8	6200 (a5,t)
Raider Dbl. Cab 2WD	3.7L V6	4050 (a4,r)
Raider Dbl. Cab 2WD	3.7L V6	4350 (a4,t)
Raider Dbl. Cab 2WD	4.7L V8	5150 (a5,r)
Raider Dbl. Cab 2WD	4.7L V8	6350 (a5,t)
Raider Dbl. Cab 4WD	3.7L V6	3850 (a4,r)
Raider Dbl. Cab 4WD	3.7L V6	4150 (a4,t)
Raider Dbl. Cab 4WD	4.7L V8	5100 (a5,r)
Raider Dbl. Cab 4WD	4.7L V8	6100 (a5,t)
<b>NISSAN</b>		
Armada 2WD/4WD	5.6L V8	6500
Armada 2WD	5.6L V8	9100 (z)
Armada 4WD	5.6L V8	9000 (z)
Frontier KC XE 2WD	2.5L I4	3500
Frontier KC SE, LE, Nismo 2WD	4.0L V6	6500
Frontier KC SE, LE, Nismo 4WD	4.0L V6	6300
Frontier CC SE, LE, Nismo 2WD	4.0L V6	6300
Frontier CC SE, LE, Nismo 4WD	4.0L V6	6100
Murano	3.5L V6	3500
Pathfinder	4.0L V6	6000
Pathfinder	5.6L V8	7000
Quest	3.5L V6	3500
Titan King Cab 2WD/4WD	5.6L V8	6500*
Titan King Cab 2WD/4WD	5.6L V8	9200* (z)
Titan King Cab 2WD/4WD Long Bed	5.6L V8	6500*
Titan King Cab 2WD Long Bed	5.6L V8	9100* (z)
Titan King Cab 4WD Long Bed	5.6L V8	8900* (z)
Titan Crew Cab 2WD/4WD	5.6L V8	6500*
Titan Crew Cab 2WD	5.6L V8	9200* (z)
Titan Crew Cab 4WD	5.6L V8	9100* (z)
Titan Crew Cab 2WD/4WD Long Bed	5.6L V8	6500*
Titan Crew Cab 2WD Long Bed	5.6L V8	9100* (z)
Titan Crew Cab 4WD Long Bed	5.6L V8	8900* (z)
Xterra	4.0L V6	5000

<b>PONTIAC</b>		
Torrent FWD/AWD	All	3500

<b>PORSCHE</b>		
Cayenne	All	7716

<b>SAAB</b>		
9-7x	4.2L I6	5600
9-7x	5.3L V8	6500
9-3 2.0T Sport Sedan	2.0L I4	3500
9-3 Aero Sport Sedan	2.8L V6 TC	3500
9-5 Sedan	2.3L I4 TC	3500
Sport Combi	2.3L I4 TC	3500

<b>SATURN</b>		
Outlook	3.6L V6	4500 (z)
Vue	3.5L V6	3500
Vue	3.6L V6	3500

<b>SUBARU</b>		
B9 Tribeca	3.6L H6	3500 (z)
Forrester	2.5L H4	2400 (x)
Outback (All)	2.5L H4	2700
Outback	3.0L H6	3000

<b>SUZUKI</b>		
Grand Vitara	2.7L V6	3000
XL7	3.6L V6	3500



# State Tow Laws

VEHICLE	ENGINE	TOW RATING
<b>TOYOTA</b>		
4Runner 2WD/4WD	4.0L V6	5000
4Runner 2WD	4.7L V8	7300
4Runner 4WD	4.7L V8	7000
FJ Cruiser	4.0L V6	5000
Highlander	3.5L V6	2000
Highlander	3.5L V6	5000 (z)
Highlander Hybrid	3.3L V6	3500 (z)
Land Cruiser	5.7L V8	8500
RAV4	3.5L V6	2000
RAV4	3.5L V6	3500 (z)
Sienna	3.5L V6	3500
Sequoia 2WD	4.7L V8	6500 (y)
Sequoia 4WD	4.7L V8	6200 (y)
Tacoma Reg. Cab 2WD/4WD	2.7L I4	3500
Tacoma Access Cab/X-Runner 2WD/4WD	2.7L I4	3500
Tacoma Access Cab 2WD/4WD	4.0L V6	3500*
Tacoma Access Cab 2WD/4WD	4.0L V6	6500 (z)
Tacoma Dbl. Cab 2WD/4WD	4.0L V6	3500*
Tacoma Dbl. Cab 2WD/4WD	4.0L V6	6500 (z)
Tundra Reg. Cab 2WD Standard Bed	4.0L V6	5100
Tundra Reg. Cab 2WD Standard Bed	4.7L V8	7000 (c)
Tundra Reg. Cab 2WD Standard Bed	4.7L V8	8500
Tundra Reg. Cab 2WD Standard Bed	5.7L V8	8900 (c)
Tundra Reg. Cab 2WD Standard Bed	5.7L V8	10,400
Tundra Reg. Cab 4WD Standard Bed	4.7L V8	6700 (c)
Tundra Reg. Cab 4WD Standard Bed	4.7L V8	8200
Tundra Reg. Cab 4WD Standard Bed	5.7L V8	8700 (c)
Tundra Reg. Cab 4WD Standard Bed	5.7L V8	10,100
Tundra Reg. Cab 2WD Long Bed	4.0L V6	5000
Tundra Reg. Cab 2WD Long Bed	4.7L V8	8400
Tundra Reg. Cab 2WD Long Bed	5.7L V8	8800 (c)
Tundra Reg. Cab 2WD Long Bed	5.7L V8	10,800
Tundra Reg. Cab 4WD Long Bed	4.7L V8	8100
Tundra Reg. Cab 4WD Long Bed	5.7L V8	8600 (c)
Tundra Reg. Cab 4WD Long Bed	5.7L V8	10,500
Tundra Dbl. Cab 2WD Standard Bed	4.0L V6	4800
Tundra Dbl. Cab 2WD Standard Bed	4.7L V8	6700
Tundra Dbl. Cab 2WD Standard Bed	4.7L V8	8100 (z)
Tundra Dbl. Cab 2WD Standard Bed	5.7L V8	8600
Tundra Dbl. Cab 2WD Standard Bed	5.7L V8	10,600 (z)
Tundra Dbl. Cab 4WD Standard Bed	4.7L V8	6400
Tundra Dbl. Cab 4WD Standard Bed	4.7L V8	7800 (z)
Tundra Dbl. Cab 4WD Standard Bed	5.7L V8	8300
Tundra Dbl. Cab 4WD Standard Bed	5.7L V8	10,300 (z)
Tundra Dbl. Cab 2WD Long Bed	4.7L V8	8000
Tundra Dbl. Cab 2WD Long Bed	5.7L V8	10,500
Tundra Dbl. Cab 4WD Long Bed	4.7L V8	7700
Tundra Dbl. Cab 4WD Long Bed	5.7L V8	10,200
Tundra CrewMax 2WD	4.7L V8	6500
Tundra CrewMax 2WD	4.7L V8	8000 (z)
Tundra CrewMax 2WD	5.7L V8	8400
Tundra CrewMax 2WD	5.7L V8	10,400 (z)
Tundra CrewMax 4WD	4.7L V8	6200
Tundra CrewMax 4WD	4.7L V8	7700 (z)
Tundra CrewMax 4WD	5.7L V8	8100
Tundra CrewMax 4WD	5.7L V8	10,100 (z)
<b>VOLKSWAGEN</b>		
Touareg	All	7716
<b>VOLVO</b>		
S60	2.5L I5	3300
S80	All	3300
V70	3.2L I6	3300
XC90	3.2L I6	3970
XC90 AWD	4.4L V8	4960



	Max. Trailer Height	Max. Trailer Width	Max. Trailer Length	Max. Overall Length	Three-tye Towing Allowed	Weight Requiring Trailer Brakes (lbs.)	Max. Towing Speed (mph)
Alabama	13' 6"	8' 6"	40'	65'	N	3000	70
Alaska	14'	8' 6"	40'	75'	N	5000	45
Arizona	13' 6"	8' 6"	40'	65'	Y <sup>15</sup>	3000	70
Arkansas	13' 6"	8' 6"	43' 6"	65'	Y	3000	70
California	14'	8' 6"	40'	65'	N	1500 <sup>16</sup>	55
Colorado	13'	8' 6"	NS	70' <sup>10</sup>	Y <sup>14</sup>	3000	70
Connecticut	13' 6"	8' 6"	NS	60' <sup>15</sup>	N	3000	65
Delaware	13' 6"	8' 6"	40'	65'	N	4000	65
DC	13' 6"	8' <sup>11</sup>	NS	55'	Y	3000	55
Florida	13' 6"	8' 6"	40'	65'	N	3000	70
Georgia	13' 6"	8' 6"	NS	60'	N	1500	55
Hawaii	14'	9'	NS	65'	N	3000	60
Idaho	14'	8' 6"	48'	75'	Y <sup>12</sup>	1500	75
Illinois	13' 6"	8' 6"	45'	60'	Y <sup>15</sup>	3000	55
Indiana	13' 6"	8' 6"	40'	60'	Y <sup>13</sup>	3000	70
Iowa	13' 6"	8' 6"	53'	65'	Y <sup>14</sup>	3000	70
Kansas	14'	8' 6"	NS	65'	Y <sup>8</sup>	Y <sup>8</sup>	55
Kentucky	13' 6"	8' 6"	NS	65'	Y <sup>13</sup>	3000 <sup>3</sup>	65
Louisiana	14'	8' 6"	40'	70'	Y <sup>14</sup>	3000	70
Maine	13' 6"	8' 6"	48'	65'	N	3000	65
Maryland	13' 6"	8' 6"	40'	55'	N	3000	65
Massachusetts	13' 6"	8' 6"	40'	60'	N	10,000	65
Michigan	13' 6"	8' 6"	45'	65'	Y	3000	55
Minnesota	13' 6"	8' 6"	45'	60'	Y <sup>7</sup>	3000	70
Mississippi	13' 6"	8' 6"	40'	53'	Y	2000	55
Missouri	14' <sup>10</sup>	8' 6" <sup>10</sup>	NS	65' <sup>10</sup>	Y <sup>13</sup>	NS	70
Montana	14'	8' 6" <sup>11</sup>	NS	65'	Y <sup>14</sup>	3000	75
Nebraska	14' 6"	8' 6"	40'	65'	Y <sup>13</sup>	3000	50
Nevada	14'	8' 6"	NS	70'	Y <sup>14</sup>	1500	75
New Hampshire	13' 6"	8' 6"	48'	NS	N	3000	65
New Jersey	13' 6"	8' 6"	40'	62'	N	3000	65
New Mexico	14' <sup>11</sup>	8' 6"	40'	65'	Y	3000	75
New York	13' 6"	8' 6" <sup>10</sup>	48'	65'	N	1000 <sup>1</sup>	65
North Carolina	13' 6"	8' 6"	35'	60'	N	4000	55
North Dakota	14'	8' 6"	53'	75'	Y <sup>12</sup>	3000	70
Ohio	13' 6"	8' 6"	40'	65'	Y <sup>13</sup>	2000	55
Oklahoma	13' 6"	8' 6"	40'	65'	Y <sup>13</sup>	3000	75
Oregon	14'	8' 6"	45'	65' <sup>7</sup>	N	NS	65
Pennsylvania	13' 6"	8' 6" <sup>9</sup>	NS <sup>7</sup>	60'	N	Y <sup>2,3</sup>	65
Rhode Island	13' 6"	8' 6"	NS	60'	N	4000	65
South Carolina	13' 6"	8' 6"	48'	NS	N	3000	55
South Dakota	14' <sup>11</sup>	8' 6"	53'	80'	Y <sup>12,15</sup>	3000	75
Tennessee	13' 6"	8' 6"	40'	65'	Y <sup>13</sup>	1500	70
Texas	14'	8' 6"	NS	65'	Y <sup>13</sup>	4500	75
Utah	14'	8' 6"	40'	65'	Y <sup>13</sup>	2000	75
Vermont	13' 6"	8' 6"	53'	68'	N	3000	65
Virginia	13' 6"	8' 6"	45'	65'	N	3000	65
Washington	14'	8' 6"	53'	75'	N	3000	60
West Virginia	13' 6"	8' 6"	40'	65'	N	3000 <sup>3</sup>	55
Wisconsin	13' 6"	8' 6"	48'	60' <sup>7</sup>	Y <sup>7</sup>	3000	65
Wyoming	14'	8' 6"	45'	85'	Y	NS	75

Note: While every attempt has been made to verify this information, TrailerBoats assumes no responsibility for errors, omissions or changes after presstime. Call motor vehicle departments or state tourism offices for additional details, specifics, exceptions and updates. For example, maximum towing speed limits generally apply to major urban interstates, but may be faster or slower on certain roadways.

Y indicates yes, item is permitted or required

N indicates no, item is not permitted

NS indicates not specified

<sup>1</sup> On designated rural interstates. Some exceptions

<sup>2</sup> Required on trailers over 3000 lbs. or if gross weight of trailer exceeds empty weight of tow vehicle

<sup>3</sup> Required if weight of trailer exceeds 40 percent of tow-vehicle weight

<sup>4</sup> Required on trailers over 1000 lbs. unladen, 3000 lbs. laden

<sup>5</sup> Trailer limited to 48 ft. in a 60 ft. combination

<sup>6</sup> 8 1/2 ft. on certain federal road systems

<sup>7</sup> Maximum combined length 60 ft. on selected highways. Special permit in OR and WI. Maximum length in MI is 70 ft; maximum in WA is 56 ft. with permit

<sup>8</sup> Must be able to stop in 40 feet at 20 mph

<sup>9</sup> 8 1/2 ft. on all state routes. On some other roads 8 ft. limits are posted

<sup>10</sup> Some exceptions or restrictions

<sup>11</sup> Special wide-body regulations

<sup>12</sup> Total maximum combined length of 75 ft.

<sup>13</sup> Total maximum combined length of 65 ft.

<sup>14</sup> Total maximum combined length of 70 ft.

<sup>15</sup> With certain qualifications. Only with fifth-wheel trailer in AZ, IL, MI, MN

<sup>16</sup> Applies to trailer coaches and camp trailers. Limit for boat trailers is 3000 lbs.